



050-696^{Q&As}

Foundations of Novell Open Enterprise Server NetWare

Pass Novell 050-696 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/050-696.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Novell
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Your organization uses a database application to store names and addresses used in direct-mail campaigns. As the demand for your company's products has grown, the database file, stored on volume DATA, has become very large. Which file attribute could you assign to the database file to prevent it from being suballocated even though block suballocation has been enabled on the DATA volume?

- A. A
- B. Dc
- C. Di
- D. Dm
- E. Ds
- F. Ic

Correct Answer: E

QUESTION 2

You need to manage services running on an OES NetWare server named DA3, which has a domain name of da3.da.com. Which URL will let you access iManager on this server?

- A. <http://da3.da.com:8008>
- B. <https://da3.da.com:8009>
- C. <http://da3.da.com/iManager.html>
- D. <https://da3.da.com/iManager.html>
- E. <https://da3.da.com/nps/iManager.html>
- F. <https://da3.da.com:443/iManager.html>

Correct Answer: E

QUESTION 3

Click on the tab you would use to enable the Novell Client to send messages to other NetWare users.

Hot Area:



Item 47 of 66 Time Remaining: 1:04:51

Point and Click

Click the Point and Click button to begin.

Click on the tab you would use to enable the Novell Client to send messages to other NetWare users.

Point and Click

Novell Client Configuration

LDAP Contextless Login	Single Sign-on	DHCP Settings
Default Capture	Protocol Preferences	
DSCAT Contextless Login	Update Agent	
Service Location	Advanced Settings	Advanced Menu Settings
Client	Location Profiles	Advanced Login

First network drive:

Preferred server:

Preferred tree:

Client version:

Support pack:

Tree:	Name context:
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

Click Next (or More) to continue.

Correct Answer:



Item 47 of 66 Time Remaining: 1:04:51

Point and Click

Click the Point and Click button to begin.

Click on the tab you would use to enable the Novell Client to send messages to other NetWare users.

Point and Click

Novell Client Configuration

LDAP Contextless Login	Single Sign-on	DHCP Settings
Default Capture	Protocol Preferences	
DSCAT Contextless Login	Update Agent	
Service Location	Advanced Settings	Advanced Menu Settings
Client	Location Profiles	Advanced Login

First network drive:

Preferred server:

Preferred tree:

Client version:

Support pack:

Tree: Name context:

Click Next (or More) to continue.

QUESTION 4

While installing OES NetWare, you decide to use a customized Server ID instead of the default value that was automatically generated by the installation program. Which is a valid Server ID that you could use?

- A. DABEFE01
- B. BAD0197J
- C. 0001FFFM
- D. 102788903
- E. CAFEFEEEDA

Correct Answer: A

QUESTION 5



You are considering implementing iPrint on your network. Your network has 3 NetWare servers in the WIDGET-TREE eDirectory tree. The servers reside in separate eDirectory contexts. The network is configured to use the IPX protocol. The workstations in your organization run Windows XP Professional and Linux. Can you use iPrint in this environment?

- A. Yes, all prerequisites have been met.
- B. No, iPrint doesn't support Linux workstations.
- C. No, iPrint is not compatible with the IPX protocol.
- D. No, iPrint is not compatible with Windows XP Professional.
- E. No, you can only implement iPrint on servers that reside in the same eDirectory context.

Correct Answer: C

[Latest 050-696 Dumps](#)

[050-696 VCE Dumps](#)

[050-696 Exam Questions](#)