050-80-CASECURID01^{Q&As}

RSA SecurID Certified Administrator 8.0 Exam

Pass RSA 050-80-CASECURID01 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/050-80-casecurid01.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by RSA Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/050-80-casecurid01.html 2024 Latest pass4itsure 050-80-CASECURID01 PDF and VCE dumps Download

QUESTION 1

An On-Demand authentication involves:

- A. Entering two sequential RSA SecurID tokencodes.
- B. Manually assigning a temporary tokencode to a user.
- C. Sending a tokencode to a user via mobile phone SMS message or email.
- D. Connecting an RSA SecurID token directly to the USB port of an Authentication Agent computer.

Correct Answer: C

QUESTION 2

A user password policy can be used to define

- A. Which character strings can not be used for passwords.
- B. The number of password attempts before a user is locked out.
- C. Which RSA SecurID token types can be used with or without PINs.
- D. If Windows Password Integration is used with Authentication Manager.

Correct Answer: A

QUESTION 3

RSA Authentication Manager audit log records:

- A. Can be archived using a scheduled job.
- B. Are only accessible by the Super Admin administrator.
- C. Are always deleted from the database when they are archived.
- D. Can be digitally signed by the administrator for archival storage protection.

Correct Answer: A

QUESTION 4



https://www.pass4itsure.com/050-80-casecurid01.html 2024 Latest pass4itsure 050-80-CASECURID01 PDF and VCE dumps Download

Dynamic Seed Provisioning allows secure distribution of:

- A. Node Secret files to Authentication Agents.
- B. RSA SecurID hardware tokens to end users.
- C. Software token information to end user devices.
- D. Configuration information to Authentication Agents.

Correct Answer: C

QUESTION 5

Allowing only certain users to authenticate on a given Authentication Agent ("Restricted" Agent) is accomplished with

- A. Agent APIs.
- B. User Policies.
- C. Node Secrets.
- D. Group Associations.

Correct Answer: D

050-80-CASECURID01 PDF Dumps 050-80-CASECURID01 VCE Dumps 050-80-CASECURID01 Braindumps