



050-80-CASECURID01^{Q&As}

RSA SecurID Certified Administrator 8.0 Exam

Pass RSA 050-80-CASECURID01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/050-80-casecurid01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RSA Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When assigning a user a Temporary Fixed Tokencode to replace a lost token, what is the default value for the expiration period of that Tokencode?

- A. 24 hours
- B. 5 days
- C. 14 days
- D. 30 days

Correct Answer: C

QUESTION 2

The term "Silent Collection" refers to gathering information about a user's access and authentication patterns.

- A. True
- B. False

Correct Answer: A

QUESTION 3

What is the maximum number of active tokens and/or user fixed passcodes that can be assigned to a user at one time?

- A. one
- B. three
- C. seven
- D. unlimited

Correct Answer: B

QUESTION 4

Which of the following services is NOT an option to users through the Self-Service Console?

- A. Changing a password or PIN
- B. Creating an individual PIN policy



C. Requesting a replacement token

D. Resynchronizing an RSA SecurID token

Correct Answer: B

QUESTION 5

A user has an RSA SecurID Key Fob. The Key Fob Change Interval is 60 seconds and has been used successfully in the past. If the RSA Authentication Manager is now out of synch with the token by 2 minutes, what will happen when the user tries to authenticate?

A. Authentication Manager will automatically adjust the token offset value and authenticate the user.

B. Authentication Manager will reject the PASSCODE and the user will receive an "Access Denied" message.

C. Authentication Manager will post a "Token Requires Resync" message in the log and deny access to the user.

D. Authentication Manager will request the user for next tokencode, adjust the user's token offset value, and authenticate the user.

Correct Answer: D

[Latest
050-80-CASECURID01
Dumps](#)

[050-80-CASECURID01
Study Guide](#)

[050-80-CASECURID01
Braindumps](#)