



050-80-CASECURID01^{Q&As}

RSA SecurID Certified Administrator 8.0 Exam

Pass RSA 050-80-CASECURID01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/050-80-casecurid01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RSA Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A user has an RSA SecurID Key Fob. The Key Fob Change Interval is 60 seconds and has been used successfully in the past. If the RSA Authentication Manager is now out of synch with the token by 2 minutes, what will happen when the user tries to authenticate?

- A. Authentication Manager will automatically adjust the token offset value and authenticate the user.
- B. Authentication Manager will reject the PASSCODE and the user will receive an "Access Denied" message.
- C. Authentication Manager will post a "Token Requires Resync" message in the log and deny access to the user.
- D. Authentication Manager will request the user for next tokencode, adjust the user's token offset value, and authenticate the user.

Correct Answer: D

QUESTION 2

Using the `Generate Configuration File` function of the Security Console helps to establish

- A. RADIUS client profiles.
- B. A connection to a Replica instance.
- C. A connection to external Identity Sources.
- D. Communication with Authentication Agents.

Correct Answer: D

QUESTION 3

What action will allow an Authentication Agent to register automatically with RSA Authentication Manager?

- A. Edit the Authentication Agent Access Policy to allow auto-registration
- B. Enable "Allow authentication agent auto-registration" in the Agent record
- C. Select the option to "Allow Auto Registration" during installation of the Agent
- D. Add "Auto-Registration=ALLOW" as a parameter value in the sdconf.rec file

Correct Answer: B

QUESTION 4



The Authentication Activity Monitor is helpful in which of the following cases?

- A. Monitoring a user's network path to the Web Tier server
- B. Locating RSA SecurID tokens that are near their expiration date
- C. Defining parameters for the Self-Service Troubleshooting Policy
- D. Troubleshooting authentication attempts while in direct contact with the user

Correct Answer: D

QUESTION 5

A User Group can include which of the following as members?

- A. other User Groups
- B. user Identity Attributes
- C. LDAP Identity Sources
- D. tokens assigned to users

Correct Answer: A

[050-80-CASECURID01
PDF Dumps](#)

[050-80-CASECURID01
VCE Dumps](#)

[050-80-CASECURID01
Study Guide](#)