



101-500^{Q&As}

LPIC-1 Exam 101 - Part 1 of 2 - version 5.0

Pass Lpi 101-500 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/101-500.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following commands changes the ownership of file.txt to the user dan and the group staff?

- A. chown dan/staff file.txt
- B. chown dan:staff file.txt
- C. chown -u dan -g staff file.txt
- D. chown dan -g staff file.txt

Correct Answer: B

QUESTION 2

What is the effect of the egrep command when the -v option is used?

- A. It enables color to highlight matching parts.
- B. It only outputs non-matching lines.
- C. It shows the command's version information.
- D. It changes the output order showing the last matching line first.

Correct Answer: B

QUESTION 3

Which of the following is true for hard linked files? (Choose three.)

- A. The output of stat will report hard instead of regular file.
- B. The hard linked files have the same permissions and owner.
- C. The hard linked files share the same inode.
- D. The hard linked files are indicated by a -> when listed with ls -l.
- E. The hard linked files must be on the same filesystem.

Correct Answer: BCE

QUESTION 4

What does the + symbol mean in the following grep regular expression: `grep \'^d[aei]\+d$\' /usr/share/dict/words`

- A. Match the preceding character set ([aei]) one or more times.



- B. Match the preceding character set ([aei]) zero or more times.
- C. Match the preceding character set ([aei]) zero or one times.
- D. Match a literal + symbol.

Correct Answer: A

QUESTION 5

When is the content of the kernel ring buffer reset? (Choose two.)

- A. When the ring buffer is explicitly reset using the command dmesg --clear
- B. When the ring buffer is read using dmesg without any additional parameters
- C. When a configurable amount of time, 15 minutes by default, has passed
- D. When the kernel loads a previously unloaded kernel module
- E. When the system is shut down or rebooted

Correct Answer: AE

[Latest 101-500 Dumps](#)

[101-500 Practice Test](#)

[101-500 Braindumps](#)