



# 101<sup>Q&As</sup>

Application Delivery Fundamentals

## Pass F5 101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/101.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

LTM can only load balance outbound traffic by using iRules

- A. True
- B. False

Correct Answer: A

---

**QUESTION 2**

Which of the following statements best describes the ARX architecture?

- A. The ARX's split path architecture has a data path that handles the most common operations, and a control path that handles other operations requiring deeper inspection and updating of the index.
- B. The ARX's architecture has redundancy built in, allowing a single ARX to be deployed in most use cases which provides a huge cost savings to customers.
- C. All of the above.
- D. It is a software agent that installs on the storage device.

Correct Answer: A

---

**QUESTION 3**

An administrator encounter an error while working on eBiG.IP device and contacts F5 Support to open a case. While opening the case Support of the administrator that a BIO-IP version update is required.

Which F5 Support policy requires the administrator to upgrade the BIG-IP version.

- A. End of Software Support
- B. End of Support Contact Renewal
- C. End of Technical Support
- D. End of Return to Manufacturing

Correct Answer: A

---

**QUESTION 4**

A messaging system digitally signs messages to ensure non-repudiation of the sender. Which component should the receiver use to validate the message?

- A. Public Key



- B. SSL extension
- C. A negotiated security algorithm
- D. private Key

Correct Answer: A

---

#### QUESTION 5

A BIG IP Administrator wants to add a new VLAN (VLAN 40) to an LACP trunk (named LACP01) connected to the BIG-IP device. Mufti VLANs exist on LACP01.

Which TMSH command should the BIG IP Administrator issue to add the new VLAN to the existing LACP trunk?

- A. `create net vlan VLAN40 {interfaces add (LACP01 {lagged}) tag 40}`
- B. `create net vlan VLAN40 {interfaces replace-all-with {LACP01{tagged}} tag 40}`
- C. `create net vlan VLAN40 interfaces replace all with {LACP01 {untagged}} tag 40}`
- D. `create net vlan VLAN40 {interfaces add {LACP01 {untagged}} tag 40}`

Correct Answer: B

[Latest 101 Dumps](#)

[101 VCE Dumps](#)

[101 Exam Questions](#)