



# 117-300<sup>Q&As</sup>

LPI Level 3 Exam 300, Senior Level Linux Certification, Mixed Environment

**Pass Lpi 117-300 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/117-300.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

To properly configure a Samba server to be a Primary Domain Controller (PDC), what configuration option must be set to yes?

- A. domain master
- B. log level
- C. local master
- D. local logon

Correct Answer: A

---

**QUESTION 2**

Which of the following options must be set in smb.conf in order to configure Samba as Active Directory Domain Controller?

- A. active directory logons = yes
- B. security = addc
- C. server role = active directory domain controller
- D. ad server mode = domain controller

Correct Answer: C

---

**QUESTION 3**

What is the NetBIOS equivalent of an /etc/hosts file, equating an IP address to a system NetBIOS name. (Specify only the file name without any path)

Correct Answer: lmhosts, LMHOSTS

---

**QUESTION 4**

A server is authenticating users using the pam\_ldap module. Only users who are members of a certain group should be allowed to login. In which parameter in ldap.conf can a filter string be specified, that is ANDed with the login attribute when validating a user? (Enter only the parameter, without any options or values)

Correct Answer: pam\_filter

---

**QUESTION 5**



Which mechanism of a Linux system is used by Samba to permit identity resolution within a domain?

- A. Linux kernel modules (via /etc/modules.conf)
- B. Name Service Switch (NSS)
- C. Automount (autofs)
- D. Inode notify (inotify)
- E. Cron-daemon (crond)

Correct Answer: B

[Latest 117-300 Dumps](#)

[117-300 VCE Dumps](#)

[117-300 Practice Test](#)