



132-S-900.7^{Q&As}

Avaya IP Telephony Design Elective Exam

Pass Avaya 132-S-900.7 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/132-s-900-7.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

A customer has a Communication Manager system with centralized call processing (S8730 with G650's at the main site). At each of the remote sites, connected via an MPLS network, they have G450's with S8300 LSP. Which feature would they need to implement in order to have four digit dialing between sites, through the SPTN, in case of a WAN failure?

- A. IGAR
- B. DCAC
- C. DPT
- D. SBS

Correct Answer: C

QUESTION 2

Prior to implementing IP telephones in a new facility, you ask the customer what their strategy is for powering the IP telephones. They inform you they will be installing Ethernet switches that support 802.3af power. What is the most effective configuration that ensures the telephones will operate during a power outage?

- A. Install 802.11b wireless telephones as they do not require UPS
- B. Place the media server in the data center and the Ethernet switches that connects to the IP telephones on a UPS
- C. Place the media server in the data center and the Ethernet switches that are in the core, distribution, and access layers on a UPS
- D. Place the media server in the data center on a UPS and install a desktop power supply with a local battery backup for the IP telephone

Correct Answer: C

QUESTION 3

A customer wants to use an Avaya S87xx Media Server with Avaya G700 Gateways at remote locations. Each G700 Gateway will include an S8300 Local Survivable Processor and approximately 75 IP sets incorporating G.711. What Avaya feature allows IP sets to register with the S8300 if connectivity to the S87xx is lost?

- A. Local CLAN board
- B. Alternate Gatekeeper
- C. S8300 Auto-Registration
- D. Gateway Alternate Redirection

Correct Answer: B

**QUESTION 4**

Your customer is looking to open a new standalone office to support 80 call center agents with 9630 IP telephones. They will be bringing in two local voice T1s for their call center traffic. The customer will be providing all data equipment. This is a very competitive situation. What is the most cost-effective solution to propose to the customer?

- A. S8500 / G650
- B. S8300 / G450
- C. S8300 / G350
- D. S8300 / IG550

Correct Answer: B

QUESTION 5

Your client is requesting a design that includes 750 IP Telephony endpoints, 75 digital endpoints, 45 analog endpoints and 5 ISDN PRI facilities. During the process you need to design the network regions with the client. What information is needed to define the network regions? (Choose three.)

- A. IP endpoints that are grouped geographically
- B. IP endpoints that incorporate the same dial plan
- C. IP endpoints included in communities of interest
- D. IP endpoints using the same compression method

Correct Answer: ACD

[132-S-900.7 Practice Test](#)

[132-S-900.7 Exam
Questions](#)

[132-S-900.7 Braindumps](#)