



# 132-S-900.7<sup>Q&As</sup>

Avaya IP Telephony Design Elective Exam

**Pass Avaya 132-S-900.7 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/132-s-900-7.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Your client is planning to implement IP Telephony on their recently installed S8500. They will have local IP sets and IP connected remote users (IP Softphone). In addition, they need connectivity to a limited-bandwidth WAN between headquarters and their manufacturing plant. The client is interested in setting up network regions. What are three reasons to consider network regions in your overall design? (Choose three.)

- A. to associate parameters such as codecs and locations to groups of IP endpoints
- B. to provide IP endpoints certain mandatory use of resources that belong in the same region as the endpoint
- C. to provide IP endpoints certain preference to use resources that belong in the same region as the endpoint
- D. to associate IP endpoints with a type of signaling resource (CLANS) to load balance registration among the CLANS in multiple regions
- E. to associate IP endpoints with a type of signaling resource (CLANS) to load balance registration among the CLANS in the same region

Correct Answer: ACE

---

**QUESTION 2**

Which terminology correctly describes the relationship between duplicated SES proxies?

- A. Active and Backup
- B. Active and Standby
- C. Primary and Backup
- D. Primary and Standby

Correct Answer: C

---

**QUESTION 3**

Which Avaya Gateway features Standard Local Survivability?

- A. G350
- B. G650
- C. G700
- D. G860

Correct Answer: A

---



#### QUESTION 4

The customer plans to add remote IP users when they implement VoIP on their network. What information about the customer's data network do you need to know to verify that remote users can be supported?

(Choose three.)

- A. codec administration
- B. network region for each remote user
- C. applications the remote user will be using
- D. bandwidth the remote user will have access to
- E. the average round trip between the VPN users and the voice network

Correct Answer: CDE

---

#### QUESTION 5

An Avaya customer with a large contact center is IP enabling their S87xx and will allow 25 users to work from home via IP Agent in the Telecommuter mode. What is the minimum hardware required in the S87xx to provide this application?

- A. one CLAN board only
- B. one Media Processor board only
- C. one CLAN and one Media Processor board
- D. no hardware is required, only software.

Correct Answer: A

[132-S-900.7 Practice Test](#)

[132-S-900.7 Study Guide](#)

[132-S-900.7 Braindumps](#)