VCE & PDF

Pass4itSure.com

132-S-900^{Q&As}

Avaya IP Telephony Design Elective Exam

Pass Avaya 132-S-900 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/132-S-900.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

A customer has two buildings in a campus LAN environment. The current number of employees is 200 and they are adding another building with 100 employees next year. Each employee is expected to have one IP phone. What is the appropriate IP addressing scheme for the IP phones with the anticipated growth?

A. 10.1.1.254/21

B. 172.16.1.0/23

C. 192.168.1.0/24

D. 192.168.1.3/24

Correct Answer: B

QUESTION 2

Which two design issues relate to increasing security in VoIP converged solutions? (Choose two.)

A. suggesting upgrading LAN switches to support QoS

B. defining VLANs to limit access from specific IP endpoints

C. considering encryption on IP calls for protection from eavesdropping

D. considering G.729 compression to protect IP calls from eavesdropping

Correct Answer: BC

QUESTION 3

Which two design considerations must be re-examined any time additional capacity is added to an Enterprise Survivable Server (ESS) strategy? (Choose two.)

A. avoid fragmenting the system

B. avoid overloading of network resources with excessive call traffic

C. avoid locally sourced Music on Hold (MOH) and Voice Announcements over LAN (VAL)

D. consider the number and type of trunks between ESS and Local Survivable Processor (LSP) locations

Correct Answer: AB

QUESTION 4

You are installing a converged IP Telephony PBX. You must assign the Avaya IP telephones to the VLAN 10, and the computers to the VLAN 20. The PC\\'s will plug into the switch on the Avaya IP telephones. What is required on the

Layer 2 switch to ensure both VLANs 10 and 20 can operate on the same switch port?

A. 802.1P = 6

B. DSCP = 42

C. Port Priority

D. 802.1Q/p trunk

Correct Answer: D

QUESTION 5

Your client is considering a VoIP application for their S8500 Media Server and G650 Media Gateway. Due to the time-sensitive nature of VoIP applications, several issues should be discussed prior to arriving at a final design. Which two VoIP guidelines should you discuss with the customer? (Choose two.)

A. VoIP should be implemented on an entirely switched network.

B. VoIP will cause some discourse due to lower voice quality than TDM calls.

C. VoIP endpoints should be placed on separate subnets or VLANs based on communities of interest.

D. When PCs are attached to IP phones, the uplink to the Ethernet switch should be at least 20 Mbps.

Correct Answer: AC

132-S-900 VCE Dumps   132-S-900 Study Guide   132-S-900 Exam Questions

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: