



199-01^{Q&As}

Riverbed Certified Solutions Professional

Pass Riverbed 199-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/199-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

-- Exhibit

```
SH11 # sh wccp interface inpath0_0 service-group 94 detail
  Protocol:                tcp

  Router IP Address:       172.16.11.3
  Identity:                172.254.1.3
  State:                   Read Error
  Redirect Negotiated:     gre
  Return Negotiated:       gre
  Assignment Negotiated:   hash
  i-see-you Message Count: 454
  Last i-see-you Message:  2013/07/24 21:14:20 (225 second(s) ago)
  Removal Query Message Count: 1
  Last Removal Query Message: 2013/07/24 21:14:45 (200 second(s) ago)
  here-i-am Message Count: 479
  Last here-i-am Message:  2013/07/24 21:18:00 (5 second(s) ago)
  Redirect Assign Message Count: 0
  Last Redirect Assign Message: N/A (0 second(s) ago)

  Web Cache Client Id: 172.16.10.101
  Weight:                25
  Distribution:           51 (19.92%)
  Hash Assignment Map:
  42108421084210842108421842108421084210842108421084210842108421

  Web Cache Client Id: 172.16.11.101
  Weight:                100
  Distribution:           205 (80.08%)
  Hash Assignment Map:
  FBDEF7BDEF7BDEF7BDEF7BDEF7BDEF7BDEF7BDEF7BDEF7BDEF7BDEF7BDEF7BDE
```

-- Exhibit -

In a WCCP environment with R3, SH10 and SH11, it was observed that SH11's WCCP state is "read error". What is the possible cause?

- A. The Steelhead is not receiving i-see-you messages from the router
- B. The Steelhead is not sending here-i-am messages to the router
- C. The Steelhead is not receiving removal query messages from the router
- D. Everything is in order ?working properly

Correct Answer: A

QUESTION 2



The primary data center Interceptor is configured to fail-to-block. What best describes the result of stopping the Interceptor appliance service?

- A. All traffic passes through the Interceptor appliance
- B. The Interceptor allows UDP traffic to pass-through, but blocks all TCP traffic
- C. Previously optimized connections continue to be redirected, but new TCP connections are passed through
- D. All traffic through the Interceptor will be blocked
- E. The Interceptor appliance communicates to the Steelhead appliances to disable their optimization service

Correct Answer: D

QUESTION 3

When using TACACS+ or RADIUS to authenticate management access to the CMC appliance, which of the following is true?

- A. You are required to supply login credentials to every Steelhead appliance
- B. You will automatically be logged into to every Steelhead appliance
- C. All users will use the same user name and password
- D. It is not possible to use TACACS+ or RADIUS

Correct Answer: A

QUESTION 4

SteelHead SaaS can provide telemetry. What kind of integration with SteelCentral is possible? (Choose two.)

- A. SNMP v1, v2c and v3
- B. Netflow
- C. SteelFlow
- D. SNMP v1 monitoring

Correct Answer: C

QUESTION 5

Citrix optimization does not work although you removed ports 1494 and 2598 from the Interactive Ports label and enabled Citrix optimization on the client-side Steelhead appliance. What could be the problem? (Select 2)

- A. You need to enable Citrix optimization on the server-side Steelhead appliance.



- B. Secure ICA encryption needs to be enabled.
- C. Citrix CDM optimization needs to be enabled.
- D. You need to restart the optimization service.

Correct Answer: AD

[Latest 199-01 Dumps](#)

[199-01 PDF Dumps](#)

[199-01 Practice Test](#)