



1D0-635^{Q&As}

CIW JavaScript Specialist

Pass CIW 1D0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1d0-635.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the purpose of the prototype property in JavaScript?

- A. It is used to add properties or methods to a JavaScript object.
- B. It returns a list of properties and methods of a JavaScript object.
- C. It enables developers to create JavaScript code from a specially formatted prototype flowchart document.
- D. It is used to create usage examples of custom objects because its output is not evaluated by the JavaScript interpreter.

Correct Answer: A

QUESTION 2

Consider the following code:

```
var firstArray = ["John", "Paul", "George"]
var secondArray = firstArray;
secondArray[1] = "Ringo";
alert(firstArray);
```

What is the output when you run this script in the browser?

- A. An alert box displaying the following: John, Paul, George, Ringo
- B. An alert box displaying the following: Ringo, John, Paul, George
- C. An alert box displaying the following: Ringo, Paul, George
- D. An alert box displaying the following: John, Ringo, George

Correct Answer: D

QUESTION 3

Consider the following code: `var v1 = "alpha"; function f () { var v2 = "bravo"; alert (v1 + ", " + v2); } f(); v1="charlie"; alert (v1 + ", " + v2);` What is the expected result when you run this script in the browser?

- A. An alert box displaying charlie, bravo
- B. An alert box displaying alpha, bravo followed by an error
- C. Two alert boxes displaying alpha, bravo and alpha, bravo respectively
- D. Two alert boxes displaying alpha, bravo and charlie, bravo respectively, followed by an error

Correct Answer: B



QUESTION 4

Which statement will return the name of the browser being used to view the script?

- A. navigator.appName
- B. navigator.platform
- C. navigator.userAgent
- D. navigator.appVersion

Correct Answer: A

QUESTION 5

Consider the following code:

```
var myString= "Hello World";  
alert(myString.length);
```

What is the output when you run this script in the browser?

- A. An alert box displaying the following: "Hello World", 11
- B. An alert box displaying the following: myString, 11
- C. An alert box displaying the following: Hello World
- D. An alert box displaying the following: 11

Correct Answer: D

[Latest 1D0-635 Dumps](#)

[1D0-635 PDF Dumps](#)

[1D0-635 Braindumps](#)