

1D0-635^{Q&As}

CIW JavaScript Specialist

Pass CIW 1D0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1d0-635.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

Which statement will return the name of the browser being used to view the script?

- A. navigator.appName
- B. navigator.platform
- C. navigator.userAgent
- D. navigator.appVersion

Correct Answer: A

QUESTION 2

Consider the following code:

```
var i;
for (i=1;i <= 10;i++)
{
    document.write(i + ", ");
}
```

What output will appear in the browser when you run this script?

A. "1, 2, 3, 4, 5, 6, 7, 8, 9"
B. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10,
C. 1, 2, 3, 4, 5, 6, 7, 8, 9,
D. "1, 2, 3, 4, 5, 6, 7, 8, 9, 10"
Correct Answer: B

QUESTION 3

You want to display a series of elements. Which choice demonstrates the correct syntax for an array in JavaScript?

- A. var myArray = Array(1,2,3,4,5) for (var i = 0; i ");
- B. var myArray = new Array(1,2,3,4,5) for (var i = 0; i ");
- C. var myArray = new Array(1,2,3,4,5)for (var i = 1; i ");
- D. var myArray = Array(1,2,3,4,5)for (var i = 1; i ");

Correct Answer: B



QUESTION 4

Which of the following is a valid variable name in JavaScript?

A. this

B. that

C. 2that

D. 2this

Correct Answer: B

QUESTION 5

Consider the following code: When an invalid e-mail address is entered, an alert is displayed to the user, but the form submission is not interrupted. What changes need to be made to the script in order to abort the submission if an invalid e- mail address is entered?

```
<html>
<head>
<script type="text/javascript">
tunction validateEmail(emailField) {
if (emailField.value.indexOf("@") < 0) {
      alert("Invalid e-mail address");
}
}
</script>
</head>
<body>
<form name="myForm" action="confirmation.htm" onsubmit="return validateEmail(this.email</pre>
Name: <input type="text" name="userName" /> <br />
E-Mail Address: <input type="text" name="emailAddress" /><br />
<input type="submit" value="Submit" />
</form>
</body>
</html>
```

A. Add return false after the alert() statement.

B. Change return to validate in the function call.

C. Add validate false after the alert() statement.

D. Remove the return keyword from the function call and put it in front of the alert() statement.

Correct Answer: A



Latest 1D0-635 Dumps

1D0-635 PDF Dumps

1D0-635 Braindumps