



1D0-635^{Q&As}

CIW JavaScript Specialist

Pass CIW 1D0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1d0-635.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following is a practice associated with the security risk known as cross-site scripting (XSS)?

- A. Inserting JavaScript code in a URL query string to perform an unintended or malicious action
- B. Using a look-alike site to impersonate a trusted site so the user will enter sensitive information
- C. Using a certificate authority validation to persuade users to accept a specialized script that can override certain security restrictions in the browser
- D. Launching a JavaScript statement that has no conditions for ending, thus requiring the user to close the browser in order to end the script

Correct Answer: A

QUESTION 2

Which choice demonstrates the correct syntax for declaring a variable?

- A. var last name;
- B. var andlastname;
- C. var "lastname";
- D. var lastName;

Correct Answer: D

QUESTION 3

Consider the following code:

```
<script type="text/javascript">
function myFunction(arg1, arg2)
{
    return(arg1 + arg2);
    var a = 5, b = 10, sum;
}
sum = myFunction(a,b);
alert(sum);
</script>
```

Will this function generate an error?

- A. No, because the code is well-formed
- B. Yes, because the alert syntax is incorrect



C. Yes, because there are no valid variables returned

D. Yes, because the passed arguments have not been defined before the function call

Correct Answer: D

QUESTION 4

What is the purpose of the prototype property in JavaScript?

A. It is used to add properties or methods to a JavaScript object.

B. It returns a list of properties and methods of a JavaScript object.

C. It enables developers to create JavaScript code from a specially formatted prototype flowchart document.

D. It is used to create usage examples of custom objects because its output is not evaluated by the JavaScript interpreter.

Correct Answer: A

QUESTION 5

Consider the following code:

```
<html>
<head>
</head>
<body>
<p>What's your favorite fruit?</p>
<form name="myForm">
<input type="radio" name="rdoGroup1" id="opt1" value="Apple">Apple <br/>
<input type="radio" name="rdoGroup1" id="opt2" value="Orange">Orange <br/>
<input type="radio" name="rdoGroup1" id="opt3" value="Pear">Pear <br/>
</body>
</html>
```

Which statement could be used to determine the value of the first radio button?

A. document.rdoGroup1.value

B. document.myForm.rdoGroup1[0].value

C. document.getElementById(rdoGroup1).value

D. document.getElementById("rdoGroup1").value

Correct Answer: B