



1Y0-230^{Q&As}

Citrix NetScaler 12 Essentials and Unified Gateway

Pass Citrix 1Y0-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1y0-230.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which mode on the NetScaler can a Citrix Administrator utilize to avoid asymmetrical packet flows and multiple route/ARP lookups?

- A. USNIP
- B. Layer 3
- C. MAC-based Forwarding
- D. Layer 2

Correct Answer: C

Explanation: MAC-based forwarding can be used to avoid multiple-route/ARP lookups and to avoid asymmetrical packet flows. Reference: <https://docs.citrix.com/en-us/netscaler/11/networking/interfaces/configuring-mac-based>

[forwarding.html](#)

QUESTION 2

Scenario: A Citrix Administrator found that whenever a NetScaler VPX high availability (HA) pair of appliances fails over, the load-balanced websites are NOT accessible. The administrator investigated the issue and found that the router and switches do NOT support gratuitous ARP (GARP). However, the administrator cannot immediately afford to upgrade the network infrastructure.

What can the administrator do immediately to resolve the issue and prevent a future outage?

- A. Migrate the VPX pair to different hypervisor hosts.
- B. Replace the NetScaler VPX appliances with NetScaler MPX appliances
- C. Configure a Virtual MAC (VMAC) on the NetScaler.
- D. Utilize IPv6 instead of IPv4.

Correct Answer: D

QUESTION 3

Where should a Citrix Administrator configure SmartControl restrictions?

- A. Citrix Gateway
- B. XenDesktop Delivery Controller
- C. Citrix Gateway, Citrix Delivery Controller and StoreFront
- D. StoreFront and Citrix Delivery Controller



Correct Answer: A

Reference: <https://docs.citrix.com/en-us/netscaler-gateway/12/integrate-web-interface-apps/smartcontrol.html>

QUESTION 4

Which reason would account for uneven user connections on a back-end server using the default load-balancing method?

- A. Persistence is enabled
- B. Application resource utilization is uneven
- C. Incorrect load-balancing method is selected
- D. Multiplexing is disabled

Correct Answer: A

QUESTION 5

A Citrix Administrator receives complaints from some users that authentication for the Citrix Gateway site fails.

Which tool can the administrator use to find data regarding time of failure and a list of users facing this issue?

- A. Gateway Insight
- B. Security Insight
- C. Web Insight
- D. HDX Insight

Correct Answer: D

[1Y0-230 VCE Dumps](#)

[1Y0-230 Study Guide](#)

[1Y0-230 Braindumps](#)