



1Y0-240^{Q&As}

Citrix NetScaler Essentials and Traffic Management

Pass Citrix 1Y0-240 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1y0-240.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Scenario: A Citrix Administrator of a Linux environment needs to load-balance the web servers in an environment. However, due to budget constraints, the administrator is NOT able to implement a full-scale solution.

What can the administrator do to load-balance the web servers in this scenario?

- A. Purchase a NetScaler SDX.
- B. Install a NetScaler CPX.
- C. Purchase a NetScaler MPX.
- D. Install NetScaler VPX.

Correct Answer: B

QUESTION 2

A Citrix Administrator is configuring Unified Gateway with authentication policies.

Where should the administrator configure NetScaler Gateway authentication policies?

- A. Global level
- B. Unified Gateway level
- C. Content-Switching level
- D. NetScaler Gateway level

Correct Answer: D

QUESTION 3

Scenario: A Citrix Administrator has configured the NetScaler as a DNS Proxy Server. The administrator executed the commands in the screenshot on the NetScaler using the command-line interface.

Click on the 'Exhibit\\' button to view the screenshot of the command-line interface.

```
> add responder action Act_1 respondwith DNS.NEW_RESPONSE(true, true, NOERROR)
Done
> add responder policy Pol_1 dns.REQ.TRANSPORT.EQ(udp) Act_1
Done
> bind lb vserver DNS -policyName Pol_1 -type request -priority 100
```

What will be the effect of this configuration?

- A. Set TC bit and rcode as NOERROR in the DNS Response from DNS server



- B. Set TC bit and rcode as NOERROR in the DNS Request from Client
- C. Create a DNS Response with TC bit set and rcode as NOERROR
- D. Create a DNS Request with TC bit set and rcode as NOERROR

Correct Answer: D

QUESTION 4

Before:

After:

Which Front-End Optimization (FEO) action can a Citrix Administrator use to achieve the results above?

- A. Minify CSS
- B. Combine CSS
- C. Inline CSS
- D. Convert linked CSS

Correct Answer: B

QUESTION 5

View the Exhibit.

```
>
> add policy httpCallout myCallout1
Done
> set policy httpCallout myCallout1 -IPAddress 10.102.3.95 -port 80 -returnType TEXT -hostExpr
"\10.102.3.95\" -urlStemExpr "\/cgi-bin/check_clnt_from_database.pl\" -headers Request
("Callout Request") -parameters cip(CLIENT.IP.SRC) -resultExpr "HTTP.RES.BODY(100)"
Done
> add responder policy rs_pol_callout_1 "HTTP.REQ.HEADER(\"REQUEST\") .EQ(\"CALLOUT_REQUEST\")
.NOT&&SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\")" RESET
Done
> bind responder global rs_pol_callout1 100 end -type override
Done
>
```

A Citrix Administrator has implemented the HTTP Callout.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.



Which part of the configuration is responsible for triggering the call to HTTP Callout server?

- A. `-parameters cip(CLIENT.IP.SRC)`
- B. `sys.http_callout(myCallout1)`
- C. `-urlStemExpr "\/cgi-bin/check_clnt_from_database.pl\"`
- D. `-headers Request("Callout Request")`

Correct Answer: D

[1Y0-240 VCE Dumps](#)

[1Y0-240 Study Guide](#)

[1Y0-240 Braindumps](#)