



1Y0-241^{Q&As}

Deploy and Manage Citrix ADC with Traffic Management

Pass Citrix 1Y0-241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1y0-241.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A Citrix Administrator needs to confirm that all client certificates presented to the authentication vServer are valid until the year 2023. Which expression can the administrator use to meet this requirement?

- A. CLIENT.SSL.CLIENT_CERT.VALID_NOT_AFTER.EQ(GMT2023)
- B. CLIENT.SSL.CLIENT_CERT.VALID_NOT_BEFORE.EQ(GMT2023)
- C. CLIENT.SSL.ORIGIN_SERVER_CERT.VALID_NOT_AFTER.EQ(GMT2023)
- D. CLIENT.SSL.CLIENT_CERT.DAYS_TO_EXPIRE.EQ(2023)

Correct Answer: A

<https://docs.citrix.com/en-us/citrix-adc/current-release/appexpert/policies-and-expressions/adv-policy-exp-working-with-dates-times-and-numbers/exp-for-ssl-certificate-date.html> <https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/ssl-actions-and-policies/config-built-in-sslactions.html>

QUESTION 2

What can a Citrix Administrator use to restrict access to the Citrix ADC management IP (NSIP) address?

- A. Command policy
- B. Access Control List (ACL)
- C. Authentication policy
- D. Authorization policy

Correct Answer: B

QUESTION 3

Which Citrix ADC platform offers an out-of-the-box multi-tenant solution?

- A. VPX
- B. SDX
- C. MPX
- D. CPX

Correct Answer: B

QUESTION 4



If a policy evaluates as _____ a Citrix ADC performs the action assigned to the _____ condition and stops further policy evaluation.

- A. TRUE; FALSE
- B. UNDEFINED; TRUE
- C. UNDEFINED; FALSE
- D. UNDEFINED; UNDEFINED

Correct Answer: C

QUESTION 5

A Citrix Administrator needs to use a client's IP address as the source IP address for Citrix ADC-to-server connections. Which Citrix ADC mode can the administrator use to meet this requirement?

- A. USNIP
- B. Layer 2
- C. Layer 3
- D. USIP

Correct Answer: D

When you enable the USIP address mode of a NetScaler appliance, the appliance forwards each packet to the appropriate back end server with the client IP address. <https://support.citrix.com/article/CTX121974>

[Latest 1Y0-241 Dumps](#)

[1Y0-241 PDF Dumps](#)

[1Y0-241 Braindumps](#)