1Y0-241^{Q&As}

1Y0-241$^{Q\&As}$

Deploy and Manage Citrix ADC with Traffic Management

Pass Citrix 1Y0-241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1y0-241.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

QUESTION 1

Scenario: A Citrix Administrator is running an e-commerce web service that uses backend SQL and RADIUS servers. The e-commerce platform runs on a web server using port 80, and a website status page on port 99 reports the status of all servers.

Which monitor should the administrator choose to confirm the availability of the e- commerce solution?

A. HTTP on port 99

B. HTTP-ECV on port 80

C. HTTP on port 80

D. HTTP_ECV on port 99

Correct Answer: D

destPort TCP or UDP port to which to send the probe. If the parameter is set to 0, the port number of the service to which the monitor is bound is considered the destination port. For a monitor of type USER, however, the destination port is the port number that is included in the HTTP request sent to the dispatcher. Does not apply to monitors of type PING.

Reference: https://support.citrix.com/article/CTX209292

QUESTION 2

Which two items must be true for a client to connect to an SSL offload vServer without any SSL errors? (Choose two.)

A. The server certificate is from a private certificate authority (CA).

B. The server certificate is bound to the load-balancing vServer.

C. The root certificate is installed on the Citrix ADC.

D. The root certificate is installed on the client s device.

Correct Answer: CD

QUESTION 3

A Citrix Administrator needs to block all DNS requests from subnet 10.107.149.0/24. Which expressions can the administrator use to match the required traffic?

A. CLIENT.IP.SRC(10.107.149.0) andand (client.UDP.DSTPORT.EQ(53) || client TCP DSTPORT.EQ(53))

B. CLIENT.IP.SRC IN_SUBNET(10 107.149.0/24) andand client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)

C. CLIENT.IP.SRC(10.107.149.0) andand client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)

D. CLIENT.IP.SRC IN_SUBNET(10.107.149.0/24) andand (client.UDP.DSTPORT.EQ(53) ||

client.TCP.DSTPORT.EQ(53))

Correct Answer: D

QUESTION 4

Scenario: A Citrix Administrator needs to configure a Responder policy, so that the string "/mytraining" is added

to every URL path received.

The administrator should use these commands to accomplish this:

>add responder action Redirect_Act redirect

"HTTP.REQ.URL.PATH_AND_QUERY+\"mytraining\"" ?

responseStatusCode 302

>add responder policy Redirect_Pol_____Redirect_Act

>bind lb vServer lb_vsrv_www -policyName Redirect_Pol -priority 100 -gotoPriorityExpression END type_____

(Choose the correct option to complete the set of commands.)

A. "(HTTP.REQ.URL.STARTSWITH(\"mytraining\"))" REQUEST

B. "(HTTP.REQ.URL.STARTSWITH(\"mytraining\"))" RESPONSE

C. "!(HTTP.REQ.URL.ENDSWITH(\"mytraining\"))" REQUEST

D. "!(HTTP.REQ.URL.ENDSWITH(\"mytraining\"))" RESPONSE

Correct Answer: D

QUESTION 5

Scenario: A Citrix Administrator needs to improve website loading speed. End users are reporting slow GIF image rendering speeds as they scroll down a website, which affects overall page load time. Which Citrix ADC feature can the administrator enable to improve website performance?

A. Domain sharding

B. Image lazy loading

C. Image optimization

D. Image shrink-to attributes

Correct Answer: C

Reduces the image to the size indicated in the image tag by Citrix ADC, enabling client browsers to load images faster.

https://docs.citrix.com/en-us/citrix-adc/current-release/optimization/front-end-optimization.html

1Y0-241 Practice Test   1Y0-241 Exam Questions   1Y0-241 Braindumps