



1Y0-253^{Q&As}

Implementing Citrix NetScaler 10.5 for App and Desktop Solutions

Pass Citrix 1Y0-253 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1y0-253.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Scenario: NetScaler is used to load balance Microsoft SharePoint for internal users. An administrator needs to configure the NetScaler device to allow for external access to the SharePoint site. Which action could the administrator take to meet the requirements of the scenario?

- A. Bind the SharePoint certificate to the virtual server.
- B. Add the Microsoft SharePoint server to a Web Interface site.
- C. Configure an Authentication, Auditing and Authorization server.
- D. Enable '\\ICA proxy only\\' on the NetScaler Gateway virtual server.

Correct Answer: C

QUESTION 2

Which command can a Citrix Administrator use to see a specific auditing Syslog policy binding?

- A. show log
- B. show audit
- C. show syslog
- D. show attribute

Correct Answer: B

QUESTION 3

What should be done to ensure high availability (HA) failover in a NetScaler HA configuration?

- A. Disable all unused system interfaces.
- B. Disable the IPv6 feature on the NetScaler.
- C. Enable all used and unused system interfaces.
- D. Change the NetScaler HA setup to two-arm mode.

Correct Answer: A

QUESTION 4

Scenario: An administrator has configured three Web Interface sites. The sites are configured to fail over to another site if a site failure occurs. After a failure occurs, the failing site is NOT available for connections for one hour. The administrator wants to lessen the amount of time that the failing site is unavailable. What can an administrator do to



lessen the amount of time the site is unavailable?

- A. Adjust the '\\socket timeout\\' setting
- B. Adjust the '\\bypass any failed server\\' setting
- C. Configure the '\\disconnected session timer\\' setting
- D. Configure Health Monitoring and Recovery to restart the server upon failure

Correct Answer: B

QUESTION 5

Scenario: A company website currently has thousands of GIF images. Using the NetScaler, a Citrix Administrator needs to convert the GIFs to PNG format to reduce bandwidth requirements. Which feature on the NetScaler can accomplish this task?

- A. Priority Queueing
- B. Content Switching
- C. Content Accelerator
- D. Front End Optimization

Correct Answer: D

[1Y0-253 PDF Dumps](#)

[1Y0-253 VCE Dumps](#)

[1Y0-253 Practice Test](#)