



1Y0-351^{Q&As}

Citrix NetScaler 10.5 Essentials and Networking

Pass Citrix 1Y0-351 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1y0-351.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A NetScaler Engineer needs to gather information from a NetScaler VPX before allocating the platform license.

Which shell command could the engineer use to gather the needed information?

- A. `!mutil !mhostid -user`
- B. `!mutil !mhostid -ether`
- C. `!mutil !mhostid -internet`
- D. `!mutil !mhostid -hostname`

Correct Answer: B

QUESTION 2

A network engineer wants to hide the IP address of the outgoing packets by changing it to the IP of the VIP.

Which feature should the administrator use?

- A. ACL
- B. PBR
- C. RNAT
- D. Rewrite

Correct Answer: C

QUESTION 3

Scenario: A website that provides hotel bookings lists each hotel through their membership number on the site URL. For example, the Martello Tower member ID is 6754 and its web presence is at `http://www.hoteltestwebsite.com/hotels/6754/index.html`.

There are 20,000 hotels in the database of the website. The website business owner no longer wants to display the hotel sites for hotel numbers 1-10000, inclusive. A NetScaler Engineer must configure an appropriate responder page to indicate that these sites are unavailable.

Which expression will meet the requirements of the business owner?

- A. `HTTP.REQ.URL.PATH.GET(2).TYPECAST_NUM_T(DECIMAL).BETWEEN(0, 10000)`
- B. `HTTP.REQ.URL.AFTER_STR("hotels").TYPECAST_NUM_T(DECIMAL).BETWEEN(0, 10000)`
- C. `HTTP.REQ.URL.BEFORE_STR("index.html").TYPECAST_NUM_T(DECIMAL).BETWEEN(0, 10000)`



D. HTTP.REQ.URL.PATH.GET(1).TYPECAST_NUM_T(DECIMAL).GT(0) andand
HTTP.REQ.URL.PATH.GET(1).TYPECAST_NUM_T(DECIMAL).LT(10000)

Correct Answer: A

QUESTION 4

Which NetScaler IP address must a NetScaler Engineer set for management and general system access purposes?

- A. NSIP
- B. SNIP
- C. VIP
- D. USNIP

Correct Answer: A

QUESTION 5

Scenario: An engineer needs to configure a monitor to ensure that each server is tested every 10 seconds and requires that the server pass the test four consecutive times before marking a server as UP. If the test fails, the server should be marked as down for 60 seconds.

To configure the monitor, the engineer should configure an interval of 10 seconds, down-time of 60 seconds; _____ as 4; and retries as _____. (Choose the correct set of options to complete the sentence.)

- A. failure retries; 1
- B. failure retries; 4
- C. success retries; 1
- D. success retries; 4

Correct Answer: C

[Latest 1Y0-351 Dumps](#)

[1Y0-351 Study Guide](#)

[1Y0-351 Exam Questions](#)