1Y0-402^{Q&As}

Citrix XenApp and XenDesktop 7.15 Assessment, Design and Advanced Configurations

Pass Citrix 1Y0-402 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1y0-402.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment.

The table in the Exhibit lists details about the requirements of the current user groups and their Virtual

Delivery Agent (VDA) machine workloads.

Click the Exhibit button to view the table.

User	Scaling Priority	VDA Type	Workload Weight	CPU Overcommit	Virtual CPUs per VIM	VMs per Host	Users per VM
User Group 1	Scalability	Desktop	Heavy	6:1	4	30	1
User Group 2	User experience	Server	Medium	1.5:1	16	18	20
User Group 3	Scalability	Desktop	Medium	6:1	2	40	1
User Group 4	Scalability	Server	Medium	1.5:1	6	27	20

At a minimum, the architect should scale the hardware used to host the VMs for User Group 1_____ GB of RAM.

A. 128

B. 64

C. 384

D. 512

E. 256

Correct Answer: E

QUESTION 2

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment. Machine Creation Services has been selected for image management.

Which storage feature should the architect consider to lower storage cost with minimal impact to performance?

A. Read caching

B. Storage tiering

C. Thin provisioning

D. Data de-duplication

Correct Answer: D

QUESTION 3

Scenario: During an assessment of a Citrix Infrastructure, a Citrix Architect finds that there are four active Sites. Each Site has one Citrix ADC SDX pair and two StoreFront servers in a server group to allow access for internal and external users. Users have to use different URLs when they access resources from different Sites. Single-factor authentication is used for both internal and external access. Citrix ADC appliances are placed in the DMZ with the appropriate firewall ports configured to allow Citrix traffic. Endpoint scanning is being used to ensure that an updated antivirus client is installed on BYO devices. Many of the internal users connect using corporate-owned laptops and some external users also connect using their own devices.

Which two risks can the architect identify from this scenario? (Choose two.)

A. Separate URLs are used to access different Sites.

B. The Citrix ADC appliance is placed in the DMZ.

C. Personal devices are being used.

D. Single-factor authentication is used.

E. There is no automatic failover between different Sites.

Correct Answer: BC

QUESTION 4

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment. Currently, the

environment is configured with two locations with identical XenDesktop Sites. Each Site has two Delivery

Controllers, two StoreFront servers, and one NetScaler high availability pair. The same applications have

been published from both Sites for all the users. Two Zones (Zone A and Zone B) are configured in each

Site with one Controller in each zone. The Microsoft Exchange server is only accessible from Virtual

Delivery Agent (VDA) machines in Zone A in each Site.

The following access requirements have been identified:

Users should have a single URL when accessing resources from different Sites.

Users should always connect to the datacenter closest to their location.

Applications added to Favorites within Citrix Receiver should be retained when accessed from different

Sites.

Launched applications and desktops should always connect through a local NetScaler.

No duplication of applications published from different Sites.

Microsoft Outlook should always launch in Zone A.

What should the architect recommend to ensure that Microsoft Outlook always launches from Zone A for

every user?

A. Configure zone preference based on user location.

B. Configure Zone A as the application home zone for Microsoft Outlook.

C. Move a Controller from Zone B to Zone A.

D. Designate Zone A as the home zone for all users.

Correct Answer: B

QUESTION 5

Scenario: A Citrix Architect is assessing a Provisioning Services farm. The farm has access to one Store; the vDisks in the Store are shown in the Exhibit.

Click the Exhibit button to view the vDisks.

How much RAM should the architect allocate to each of the Provisioning Services servers to optimally cache existing vDisk data while NOT over-provisioning resources?

A. 14 GB

B. 17 GB

C. 12 GB

D. 9 GB

Correct Answer: D

1Y0-402 VCE Dumps   1Y0-402 Practice Test   1Y0-402 Study Guide