

1Y0-402^{Q&As}

Citrix XenApp and XenDesktop 7.15 Assessment, Design and Advanced Configurations

Pass Citrix 1Y0-402 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1y0-402.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/1y0-402.html 2024 Latest pass4itsure 1Y0-402 PDF and VCE dumps Download

QUESTION 1

Scenario: A Citrix Architect is designing a XenDesktop environment. The Graphic Designers group uses a graphic-intensive application. Graphic Designers will be provided with a Windows 10 Hosted Personal Desktop, with NVIDIA graphics hardware acceleration. HDX 3D Pro mode was selected during the installation of Virtual Delivery Agent (VDA).

What is the	maximum	number of	f monitors	supported:	for the	Graphic group?
vviiat is tile	maximum	Hullibel 6	1 11101111013	Supported	101 1110	Crapino group:

A. 6

B. 2

C. 8

D. 4

Correct Answer: D

QUESTION 2

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment. Machine Creation Services has been selected for image management.

Which storage feature should the architect consider to lower storage cost with minimal impact to performance?

A. Read caching

B. Storage tiering

C. Thin provisioning

D. Data de-duplication

Correct Answer: D

QUESTION 3

Scenario: IT management has decided which server hardware model to use for new XenApp and XenDesktop Sites and needs guidance on sizing the Hardware Layer.

Click the Exhibit to view the host details.

https://www.pass4itsure.com/1y0-402.html 2024 Latest pass4itsure 1Y0-402 PDF and VCE dumps Download

Host Details	
Host Model	UCS B200 M4
Sockets	2
Cores per Socket	8
RAM	320 GB
Hyper Threading	Enabled
Storage	SAN storage

A Citrix Architect is planning to install XenServer 7.x on this host. How many vCPUs will be available to the XenServer host?

A. 8

B. 24

C. 32

D. 16

Correct Answer: D

QUESTION 4

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment. Currently, the environment is configured with two locations with identical XenDesktop Sites. Each Site has two Delivery Controllers, two StoreFront servers, and one NetScaler high availability pair. The same applications have been published from both Sites for all the users. Two Zones (Zone A and Zone B) are configured in each Site with one Controller in each zone. The Microsoft Exchange server is only accessible from Virtual Delivery Agent (VDA) machines in Zone A in each Site.

The following access requirements have been identified:

Users should have a single URL when accessing resources from different Sites.

Users should always connect to the datacenter closest to their location.

Applications added to Favorites within Citrix Receiver should be retained when accessed from different Sites.

Launched applications and desktops should always connect through a local NetScaler.

No duplication of applications published from different Sites.

Microsoft Outlook should always launch in Zone A.



https://www.pass4itsure.com/1y0-402.html

2024 Latest pass4itsure 1Y0-402 PDF and VCE dumps Download

What should the architect recommend to ensure that Microsoft Outlook always launches from Zone A for every user?

- A. Configure zone preference based on user location.
- B. Configure Zone A as the application home zone for Microsoft Outlook.
- C. Move a Controller from Zone B to Zone A.
- D. Designate Zone A as the home zone for all users.

Correct Answer: B

QUESTION 5

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment.

The table in the Exhibit lists details about the requirements of the current user groups and their Virtual

Delivery Agent (VDA) machine workloads.

Click the Exhibit button to view the table.

User	Scaling Priority	VDAType	Workload Weight	CPU Overcommit	Virtual CPUs per VIM	VMs per Host	Users per VM
User Group 1	Scalability	Desktop	Medium	8:1	2	40	1
User Group 2	User experience	Server	Medium	1:5:1	6	16	20
User Group 3 Scalability		Desktop	Heavy	6:1	4	36	1
User Group 4	Scalability	Server	Medium	1:5:1	6	27	20

The architect should scale the hardware used to host the VMs for User Group 1 to _____ cores. (Choose the correct option to complete the sentence.)

A. 32

B. 24

C. 16

D. 96

E. 64

Correct Answer: A

Latest 1Y0-402 Dumps

1Y0-402 Practice Test

1Y0-402 Braindumps