



# 1Y0-440<sup>Q&As</sup>

Architecting a Citrix Networking Solution

## Pass Citrix 1Y0-440 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1y0-440.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Scenario: More than 10,000 users will access a customer's environment. The current networking infrastructure is capable of supporting the entire workforce of users. However, the number of support staff is limited, and management needs to ensure that they are capable of supporting the full user base.

Which business driver is prioritized, based on the customer's requirements?

- A. Simplify Management
- B. Increase Scalability
- C. Increase Flexibility
- D. Reduce Costs
- E. Enable Mobile Work Styles
- F. Increase Security

Correct Answer: A

---

**QUESTION 2**

Scenario: The following NetScaler environment requirements were discussed during a design meeting between a Citrix Architect and the Workspacelab team:

1.

All traffic should be secured, and any traffic coming into HTTP should be redirected to HTTPS.

2.

Single Sign-on should be created for Microsoft Outlook web access (OWA).

3.

NetScaler should recognize Uniform Resource Identifier (URI) and close the session to NetScaler when users hit the Logoff button in Microsoft Outlook web access.

4.

Users should be able to authenticate using user principal name (UPN).

5.

The Layer 7 monitor should be configured to monitor the Microsoft Outlook web access servers and the monitor probes must be sent on SSL.

Which method can the architect use to redirect the user accessing <https://mail.citrix.com> to [https:// mail.citrix.com](https://mail.citrix.com)?

- A. add responder action act redirect "https://mail.citrix.com" -responseStatusCode 302 add responder policy pol



HTTP.REQ.IS\_VALID act

B. add lb server test SSL 10.107.149.243.80 -persistenceType NONE -cltTimeout 180 -redirectFromPort 80 -httpsRedirectUrl https://mail.citrix.com

C. add lb server test SSL 10.107.149.243.443 -persistenceType NONE -cltTimeout 180 -redirectFromPort 80 -httpsRedirectUrl https://mail.citrix.com

D. add responder action act redirect "\https://\ + HTTP REQ.HOSTNAME.HTTP\_URL\_SAFE + HTTP.REQ.URL\_PATH\_AND\_QUERY.HTTP\_URL\_SAFE\n\n" -responseStatusCode 302 add responder policy pol HTTP.REQ.IS\_VALID act

Correct Answer: C

---

### QUESTION 3

Scenario: A Citrix Architect has configured NetScaler Gateway integration with a XenApp environment to provide access to users from two domains: vendorlab.com and workslab.com. The Authentication method used is LDAP.

Which two steps are required to achieve Single Sign-on StoreFront using a single store? (Choose two.)

- A. Configure Single sign-on domain in Session profile `userPrincipalName\`.
- B. Do NOT configure SSO Name attribute in LDAP Profile.
- C. Do NOT configure sign-on domain in Session Profile.
- D. Configure SSO Name attribute to `userPrincipalName\` in LDAP Profile.

Correct Answer: BD

Reference: <https://docs.citrix.com/en-us/storefront/3-12/plan/user-authentication.html>

---

### QUESTION 4

Scenario: A Citrix Architect has met with a team of Workspacelab members for a design discussion. They have captured the following requirements for NetScaler design project:

1.

The authentication must be deployed for the users from the workspacelab.com and vendorlab.com domains.

2.

The workspacelab users connecting from the internal (workspacelab) network should be authenticated using LDAP.

3.

The workspacelab users connecting from the external network should be authenticated using LDAP and RADIUS.

4.



The vendorlab users should be authenticated using Active Directory Federation Service.

5.

The user credentials must NOT be shared between workspacelab and vendorlab.

6.

Single Sign-on must be performed between StoreFront and NetScaler Gateway.

7.

A domain drop down list must be provided if the user connects to the NetScaler gateway virtual server externally.

Which method must the architect utilize for user management between the two domains?

A. Create shadow accounts for the users of the Workspacelab domain in the Vendorlab domain.

B. Create a global catalog containing the objects of Vendorlab and Workspacelab domains.

C. Create shadow accounts for the Vendorlab domain in the Workspacelab domain.

D. Create a two-way trust between the Vendorlab and Workspacelab domains.

Correct Answer: B

---

## QUESTION 5

Under which two circumstances will a service be taken out of the slow start phase with automated slow start? (Choose two.)

A. The service does NOT receive traffic for three successive increment intervals.

B. The server request rate parameters are set above 25 requests per second.

C. The actual request rate is slower than the new service request rate.

D. The percentage of traffic that the new service must receive is greater or equal to 50.

E. The request rate has been incremented 100 times.

Correct Answer: AC

Reference: <https://docs.citrix.com/en-us/netscaler/12/load-balancing/load-balancing-advanced-settings/slow-start-service.html>

[Latest 1Y0-440 Dumps](#)

[1Y0-440 Study Guide](#)

[1Y0-440 Exam Questions](#)