



1Y0-A21^{Q&As}

Basic Administration for Citrix NetScaler 9.2

Pass Citrix 1Y0-A21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1y0-a21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which qualifier designates the source IP of the outgoing packet in a classic policy for NetScaler 9.2?

- A. RES.HTTP
- B. RES.SOURCEIP
- C. RES.IP.SOURCEIP
- D. RES.HTTP.HEADER
- E. RES.HTTP.SOURCEIP

Correct Answer: C

QUESTION 2

Which command can an administrator use to display the node state in an HA pair?

- A. show ha pair
- B. show ha state
- C. show ha node
- D. show ha primary

Correct Answer: C

QUESTION 3

A network administrator wants to ensure that connection multiplexing is enabled for all client connections that hit a virtual server. Which service type should the administrator select to enable connection multiplexing?

- A. SSL
- B. FTP
- C. TCP
- D. HTTP

Correct Answer: D

QUESTION 4

Scenario: An administrator must plan the deployment of a NetScaler system for an environment that requires:



- All traffic to pass through the NetScaler appliance(s)
- Outbound connections to the Internet from a non-routable subnet
- Two Web server farms to be load balanced by the fewest connections
-

All consumer web site traffic to be secured with SSL

-

All traffic to pass through a network firewall prior to passing through the NetScaler appliance(s)

- Fault tolerance
- Disabled traffic bridging on the NetScaler

Which three steps must the administrator take to deploy the NetScaler system correctly for this environment according to best practices? (Choose three.)

- A. Configure proxy mode.
- B. Configure Layer 2 mode.
- C. Configure RNAT functionality.
- D. Deploy the NetScaler system with HA.
- E. Enable Independent Network Configuration (INC).
- F. Deploy the NetScaler system in an inline configuration.

Correct Answer: CDF

QUESTION 5

Scenario: An administrator needs to satisfy the following conditions:

- The traffic should be encrypted end-to-end
-

-

There is no certificate configured on the virtual server

Which type of virtual server should the administrator configure on the NetScaler?

- A.
SSL
- B.
TCP



C.

HTTP

D.

SSL_TCP

E.

SSL_BRIDGE

Correct Answer: E

[1Y0-A21 Study Guide](#)

[1Y0-A21 Exam Questions](#)

[1Y0-A21 Braindumps](#)