



1Z0-034^{Q&As}

Upgrade Oracle9i/10g OCA to Oracle Database OCP

Pass Oracle 1Z0-034 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-034.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

UNDO__RETENTION is set to 1000 and retention is not guaranteed. You configure the database with a fixed size undo tablespace. Which is true about undo retention in this configuration?

- A. Undo expires after 1000 seconds and is deleted.
- B. Inactive undo is retained for 1000 seconds even if new transactions fail due to lack of space in the undo tablespace.
- C. Inactive undo is retained for at least 1000 seconds if free undo space is available.
- D. Undo is retained in the UNDO tablespace for 1000 seconds, and then moved to the SYSAUX tablespace to provide read consistency.

Correct Answer: C

QUESTION 2

Which two commands never trigger an implicit rebalancing within the disk group?. (Choose two.)

- A. ALTER DISKGROUP misc MOUNT;
- B. ALTER DISKGROUP misc DROP DISK misc2;
- C. ALTER DISKGROUP misc CHECK ALL NOREPAIR;
- D. ALTER DISKGROUP misc RESIZE ALL SIZE 1023m;
- E. ALTER DISKGROUP dgroupA ADD DISK '\\\devices/A*\\';

Correct Answer: AC

QUESTION 3

The database is configured in ARCHIVELOG mode and regular complete database backups are taken. The loss of which two types of files may require a recovery with the RESETLOGS option?

- A. Control files
- B. Password file
- C. Inactive online redo log file
- D. Archived log files required to perform recovery
- E. Newly created tablespace which is not backed up

Correct Answer: AD

**QUESTION 4**

Examine the following command for RMAN backup:

```
RMAN> RUN {  
  
  ALLOCATE CHANNEL c1 DEVICE TYPE sbt;  
  
  ALLOCATE CHANNEL c2 DEVICE TYPE sbt;  
  
  ALLOCATE CHANNEL c3 DEVICE TYPE sbt;  
  
  BACKUP  
  
  INCREMENTAL LEVEL = 0  
  
  (DATAFILE 1,4,5 CHANNEL c1)  
  
  (DATAFILE 2,3,9 CHANNEL c2)  
  
  (DATAFILE 6,7,8 CHANNEL c3);  
  
  SQL \\\ALTER SYSTEM ARCHIVE LOG CURRENT\\;  
  
}
```

Which statement is true regarding the approach in the command?

- A. The RMAN multiplexing level is 4.
- B. It is the use of asynchronous I/O by RMAN.
- C. It is a case of parallelization of the backup set.
- D. It is an implementation of a multisection backup.

Correct Answer: C

QUESTION 5

User SCOTT wants to back out the transactions on the REGIONS table in his schema. As a DBA, which commands must you execute to enable SCOTT to flash back the transactions?

- A. ALTER DATABASE FLASHBACK ON;
- B. GRANT SELECT ANY TRANSACTION TO scott;
- C. GRANT EXECUTE ON dbms_flashback TO scott;
- D. ALTER DATABASE ADD SUPPLEMENTAL LOG DATA;
- E. ALTER TABLESPACE undots1 RETENTION GUARANTEE;
- F. ALTER DATABASE ADD SUPPLEMENTAL LOG DATA (PRIMARY KEY) COLUMNS;



Correct Answer: BCDF

[Latest 1Z0-034 Dumps](#)

[1Z0-034 PDF Dumps](#)

[1Z0-034 Exam Questions](#)