



1Z0-053^{Q&As}

Oracle Database 11g: Administration II

Pass Oracle 1Z0-053 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-053.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What view might you use to try to determine how long a particular backup will take?

- A. V\$SESSION_EVENT
- B. V\$SESSION
- C. V\$WAITS
- D. V\$WAITSTAT
- E. V\$SESSION_LONGOPS

Correct Answer: E

QUESTION 2

What is the proper procedure to recover a lost tempfile?

- A. Restore the backup copy of the tempfile from the backup media.
- B. Re-create the tempfile with the create tempfile command.
- C. Copy an existing tempfile from another database.
- D. Re-create the tempfile with the create tablespace command.
- E. Re-create the tempfile with the alter tablespace command.

Correct Answer: E

```
ALTER TABLESPACE ADD TEMPFILE ; ALTER TABLESPACE TEMPFILE OFFLINE; ALTER TABLESPACE TEMPFILE ONLINE;
```

QUESTION 3

You plan to have a larger moving window size for the default system-defined moving window baseline because you want to use the adaptive threshold.

Which statement factors in this consideration while increasing the size of the moving window?

- A. The collection level for the AWR should be set to BASIC.
- B. The moving window size must be less than Undo Retention.
- C. The moving window size should be greater than the Automatic Workload Repository (AWR) retention period.
- D. The moving window size should be equal to or less than the Automatic Workload Repository (AWR) retention period.

Correct Answer: D



Moving Window Baseline (link)

A moving window baseline corresponds to all AWR data that exists within the AWR retention period. This is useful when using adaptive thresholds because the database can use AWR data in the entire AWR retention period to compute

metric threshold values. Oracle Database automatically maintains a system-defined moving window baseline. The default window size for the system-defined moving window baseline is the current AWR retention period, which by default is 8

days.

If you are planning to use adaptive thresholds, consider using a larger moving window--such as 30 days--to accurately compute threshold values. You can resize the moving window baseline by changing the number of days in the moving

window to a value that is equal to or less than the number of days in the AWR retention period. Therefore, to increase the size of a moving window, you must first increase the AWR retention period accordingly.

QUESTION 4

By setting the value of MEMORY_TARGET to zero and setting the value of SGA_TARGET to a nonzero value, you will enable which of the following memory-management options?

- A. Automatic PGA Memory Management
- B. Automatic SGA Memory Management
- C. Automatic Shared Memory Management
- D. Automatic Memory Management
- E. Manual SGA Memory Management
- F. None of the above

Correct Answer: C

QUESTION 5

You have lost datafile 4 from your database. Which is typically the fastest way to restore your database?

- A. Restore and recover the datafile.
- B. Restore and recover the tablespace.
- C. Restore and recover the database.
- D. Restore and recover the control file.
- E. Restore and recover the parameter file.

Correct Answer: A



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/1z0-053.html>

2024 Latest pass4itsure 1Z0-053 PDF and VCE dumps Download

[1Z0-053 PDF Dumps](#)

[1Z0-053 Practice Test](#)

[1Z0-053 Exam Questions](#)