



# 1Z0-060<sup>Q&As</sup>

Upgrade to Oracle Database 12c

## Pass Oracle 1Z0-060 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-060.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which three statements are true about SQL plan directives?

- A. They are tied to a specific statement or SQL ID.
- B. They instruct the maintenance job to collect missing statistics or perform dynamic sampling to generate a more optimal plan.
- C. They are used to gather only missing statistics.
- D. They are created for a query expression where statistics are missing or the cardinality estimates by the optimizer are incorrect.
- E. They instruct the optimizer to create only column group statistics.
- F. Improve plan accuracy by persisting both compilation and execution statistics in the SYSAUX tablespace.

Correct Answer: BDF

---

### QUESTION 2

Which statement is true concerning dropping a pluggable database (PDB)?

- A. The PDB must be open in read-only mode.
- B. The PDB must be in mount state.
- C. The PDB must be unplugged.
- D. The PDB data files are always removed from disk.
- E. A dropped PDB can never be plugged back into a multitenant container database (CDB).

Correct Answer: B

[http://docs.oracle.com/database/121/ADMIN/cdb\\_plug.htm#ADMIN13658](http://docs.oracle.com/database/121/ADMIN/cdb_plug.htm#ADMIN13658)

---

### QUESTION 3

In which two scenarios is an RMAN recovery catalog automatically resynchronized? (Choose two.)

- A. when a registered database is opened with the RESETLOGS option
- B. when a redo log is archived
- C. when backup metadata records are aged out of the control file based on the CONTROL\_FILE\_RECORD\_KEEP\_TIME parameter value
- D. when the backup retention policy configuration is changed for a registered database



E. when a manual redo log switch is performed

Correct Answer: AC

---

#### QUESTION 4

You are administering a database stored in Automatic Storage Management (ASM). You use RMAN to back up the database and the MD\_BACKUP command to back up the ASM metadata regularly. You lost an ASM disk group DG1 due to hardware failure.

In which three ways can you re-create the lost disk group and restore the data? (Choose three.)

- A. Use the MD\_RESTORE command to restore metadata for an existing disk group by passing the existing disk group name as input parameter and use RMAN to restore the data.
- B. Use the MKDGG command to restore the disk group with the same configuration as the backed-up disk group and data on the disk group.
- C. Use the MD\_RESTORE command to restore the disk group with the changed disk group specification, failure group specification, name, and other attributes and use RMAN to restore the data.
- D. Use the MD\_RESTORE command to restore both the metadata and data for the failed disk group.
- E. Use the MKDGG command to add a new disk group DG1 with the same or different specifications for failure group and other attributes and use RMAN to restore the data.

Correct Answer: BCE

---

#### QUESTION 5

Which two statements are true concerning Information Lifecycle Management (ILM) policies?

- A. Multiple ILM policies may exist for the same segment and any compression levels may be specified for any policy.
- B. Segment-level policies override row-level policies.
- C. Multiple ILM policies may exist for the same table, if the action is compression and the scope is at the row level.
- D. Multiple ILM policies may exist for the same segment but greater compression levels must be specified at greater elapsed times.
- E. ILM policy functions return a Boolean value.

Correct Answer: CE

[Latest 1Z0-060 Dumps](#)

[1Z0-060 PDF Dumps](#)

[1Z0-060 Braindumps](#)