



1Z0-063^{Q&As}

Oracle Database 12c: Advanced Administration

Pass Oracle 1Z0-063 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-063.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Which two are true about incremental backups? (Choose two.)

- A. A backup set can be used as the baseline for an incremental backup.
- B. Differential backups can be taken at level 0.
- C. An image copy can be used as the baseline for an incremental backup.
- D. A tablespace incremental level 1 backup always backs up all blocks in the backed up tablespace.
- E. Incremental backups are not permitted when using block change tracking.
- F. A database incremental level 0 backup always backs up all database blocks.

Correct Answer: DF

Reference: https://docs.oracle.com/cd/B19306_01/backup.102/b14192/bkup004.htm

QUESTION 2

Which two components are contained only in CDB\$ROOT? (Choose two.)

- A. the unified audit trail
- B. database links between PDBs in the CDB
- C. PDB service names
- D. resource manager plans for each PDB in the CDB
- E. the default TEMP tablespace for the entire CDB

Correct Answer: CE

Reference <https://docs.oracle.com/database/121/CNCPT/cdblogic.htm#CNCPT89268>

QUESTION 3

A user issues a query on the sales table and receives the following error: ERROR at line 1:

ORA-01565: error in identifying file '\\u0l/app/oracle/oradata/ORCL/temp01.dbf\\' ORA-27037: unable to obtain file status

Which two actions would you take to recover the temporary tablespace? (Choose two.)

- A. Drop the temp01.dbf file, and then re-create the temp file.
- B. Add a new temp file to the temporary tablespace and drop the temp01.dbf file.



C. Shut down the database instance, start up the database instance in mount state, create a new temporary tablespace, and then open the database.

D. Take the temporary tablespace offline, recover the missing temp file, and then bring the temporary tablespace online.

E. Create a new temporary tablespace and assign it as the default to the user.

Correct Answer: BE

QUESTION 4

You have set the value of the NLS_TIMESTAMP_TZ_FORMAT parameter to YYYY-MM-DD. The default format of which two data types would be affected by this setting? (Choose two.)

A. DATE

B. TIMESTAMP

C. INTERVAL YEAR TO MONTH

D. INTERVAL DAY TO SECOND

E. TIMESTAMP WITH LOCAL TIME ZONE

Correct Answer: BE

QUESTION 5

In which two locations does the USER_DATA TABLESPACE clause create a tablespace? (Choose two.)

A. a PDB

B. CDB\$ROOT

C. PDB\$SEED

D. a non-CDB

E. an Application Root

Correct Answer: AD

[1Z0-063 VCE Dumps](#)

[1Z0-063 Study Guide](#)

[1Z0-063 Exam Questions](#)