



# 1Z0-063<sup>Q&As</sup>

Oracle Database 12c: Advanced Administration

## Pass Oracle 1Z0-063 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-063.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Examine the commands executed in CDB\$ROOT of your multitenant container database (CDB) that has multiple pluggable databases (PDB):

```
SQL> CREATE ROLE c##role1 CONTAINER=ALL;  
SQL> GRANT CREATE SESSION, CREATE TABLE TO c##role1 CONTAINER=ALL;  
SQL> CREATE USER c##admin IDENTIFIED BY orcl123;  
SQL> GRANT c##role1 TO c##admin CONTAINER=ALL;  
SQL> GRANT SELECT ON DBA_USERS TO c##role1 CONTAINER=ALL;
```

Which statement is true about granting the select privilege on the DBA\_users view to the c##ROLE1 role?

- A. The command fails and gives an error because object privileges cannot be granted to a common user.
- B. The command fails because container is not set to current.
- C. The command succeeds and the common user c##admin can create a session and query the DBA\_users view in cdb\$root and all the PDBs.
- D. The command succeeds and the common user c##admin can create a session in cdb\$root and all the PDBs, but can only query the dba\_users view in cdb\$root.
- E. The command succeeds and the common user c##admin can create a session and query the DBA\_users view only in cdb\$root.

Correct Answer: C

---

**QUESTION 2**

Which two statements are true about making RMAN image copies of a database? (Choose two.)

- A. They can only be written to disk.
- B. They can be made only when the database is running in NOARCHIVELOG mode.
- C. They can be made only when the database is in MOUNT state.
- D. They consist of all used and unused blocks in the data files.
- E. They can be made only when the database is running in ARCHIVELOG mode.

Correct Answer: AD

An image copy can be written only to disk.

An image copy is the same as datafiles. The disadvantage of image copy backup mode is that it occupies much space and does not skip unused data blocks. References: [http://www.dba-oracle.com/t\\_rman\\_10\\_image\\_copies.htm](http://www.dba-oracle.com/t_rman_10_image_copies.htm)

---

**QUESTION 3**



You issue the RMAN command:

```
RMAN> BACKUP SECTION SIZE 300M TABLESPACE users;
```

Which statement is true about the execution of the command?

- A. The resulting backupset has backup pieces that cannot exceed 300 MB.
- B. RMAN uses multiplexing to perform the backup.
- C. RMAN always performs this type of backup in parallel.
- D. The backup succeeds only if the USERS tablespace is locally managed.
- E. The backup set size is limited to 300 MB.

Correct Answer: A

---

#### QUESTION 4

You are administering a multitenant container database (COB) that contains two pluggable databases (PDBs), pdb1 and pdb2. You are connected to pdb2 as a common user with DBA privileges.

The statistics\_level parameter is PDB modifiable.

As the user sys, execute the following command on pdb2:

```
SQL> ALTER SYSTEM SET STATISTICS_LEVEL=ALL SID=\\'*\\' SCOPE=SPFILE;
```

Which statement is true about the result of this command?

- A. The statistics\_level parameter is set to all when any of the PDBs is reopened.
- B. The statistics\_level parameter is set to all only for PDB2 when it is reopened.
- C. The statistics\_level parameter is set to all when the root database is restarted.
- D. The statement is ignored because there is no SPFILE for a PDB.

Correct Answer: B

---

#### QUESTION 5

View the SPFILE parameter settings in the Exhibit.



```
*.audit_file_dest='/u01/app/oracle/admin/orcl/adump'
*.audit_trail='db'
*.compatible='11.1.0.0.0'
*.control_files='/u01/app/oracle/oradata/orcl/control01.ctl','/u01/app/oracle/oradata/orcl/control02.ctl','/u01/app/oracle/oradata/orcl/control03.ctl'
*.db_block_size=8192
*.db_domain='us.oracle.com'
*.db_name='orcl'
*.db_recovery_file_dest='/u01/app/oracle/flash_recovery_area'
*.db_recovery_file_dest_size=2147483648
*.sga_target=436207616
*.dispatchers='(PROTOCOL=TCP) (SERVICE=orclXDB)'
*.filesystemio_options='ASYNCH'
*.job_queue_processes=1000
*.memory_max_target=629145600
*.memory_target=629145600
*.open_cursors=300
*.processes=150
*.remote_login_passwordfile='EXCLUSIVE'
*.statistics_level='BASIC'
orcl.resource_manager_plan='FORCE:'
*.undo_tablespace='UNDOTBS1'
```

You issue this command and get errors:

SQL> startup  
ORA-00824:cannot set SGA\_TARGET or MEMORY\_TARGET due to existing internal settings, see alert log for more information

Why did the instance fail to start?

- A. because pga\_aggregate\_target is not set
- B. because statistics\_level is set to basic
- C. because memory\_target and memory\_max\_target cannot be equal
- D. because sga\_target and memory\_target are both set

Correct Answer: B

[1Z0-063 PDF Dumps](#)

[1Z0-063 Study Guide](#)

[1Z0-063 Braindumps](#)