

# 1Z0-063<sup>Q&As</sup>

Oracle Database 12c: Advanced Administration

# Pass Oracle 1Z0-063 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/1z0-063.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.pass4itsure.com/1z0-063.html

2024 Latest pass4itsure 1Z0-063 PDF and VCE dumps Download

#### **QUESTION 1**

Which parameter must be set to which value to implement automatic PGA memory management?

- A. Set memory\_target to zero.
- B. Set STATISTICS\_LEVEL to BASIC.
- C. Set pga\_aggregate\_target to a nonzero value.
- D. Set pga\_aggregate\_target and sga\_target to the same value.
- E. Set sgajtarget to zero.

Correct Answer: C

Reference: http://docs.oracle.com/cd/B28359\_01/server.111/b28310/memory004.htm#ADMIN11233

#### **QUESTION 2**

You issued these commands for one of your databases:

RMAN> BACKUP INCREMENTAL LEVEL 0 DATABASE;

RMAN> ALTER DATABASE ENABLE BLOCK CHANGE TRACKING USING

FILE `mydir/rman\_change\_track.f\\';

RMAN> BACKUP INCREMENTAL LEVEL 1 CUMULATIVE DATABASE;

Which two are true? (Choose two.)

- A. The cumulative incremental level 1 database backup ignores the block change tracking file.
- B. Future cumulative incremental level 1 database backups will reference the block change tracking file.
- C. Future incremental level 0 database backups will reference the block change tracking file.
- D. The cumulative incremental level 1 database backup fails.
- E. The block change tracking file will be updated automatically after creation to refer to modified blocks contained in the incremental level 0 database backup.

Correct Answer: BE

ISWCI. DL

Reference: https://docs.oracle.com/database/121/ADMQS/GUID-3BAA0D48-CA35-4CD7-810E50C703DC6FEB.htm

#### **QUESTION 3**

Examine the command:

## https://www.pass4itsure.com/1z0-063.html

2024 Latest pass4itsure 1Z0-063 PDF and VCE dumps Download

\$ expdp SYSTEM FULL=YES DUMPFILE=dpump\_dir1:full1%U.dmp,
dpump\_dir2:full2%U.dmp, dpump\_dir3:full3%U.dmp FILESIZE=400M
PARALLEL=3 JOB NAME=expfull

Which statement is true about the execution of the command?

- A. It fails because the log file parameter is not specified.
- B. It fails because no absolute path is specified for the log file and dump file.
- C. It succeeds and exports the full database, simultaneously creating three copies of dump files at three different locations.
- D. It succeeds and exports the full database, simultaneously creating three dump files at three different locations, but the total number of dump files can exceed three.

Correct Answer: D

#### **QUESTION 4**

Examine this parameter in a database\\'s PFILE:

DB\_CREATE\_FILE\_DEST = \\'/u01/app/oracle/oradata/\\'

You execute this command: Which three are true after successful database creation? (Choose three.)

```
SQL> CREATE DATABASE cdb1

DEFAULT TABLESPACE users

DEFAULT TEMPORARY TABLESPACE temp

UNDO TABLESPACE undotbs1

ENABLE PLUGGABLE DATABASE

SEED

SYSTEM DATAFILES SIZE 125M AUTOEXTEND ON NEXT 10M MAXSIZE UNLIMITED SYSAUK DATAFILES SIZE 100M;
```

- A. Local Undo is enabled.
- B. The files created for both the root and seed databases use Oracle Managed Files (OMF).
- C. PDB\$SEED is open read-only.
- D. PDB\$SEED is mounted.
- E. USERS will be the default tablespace for PDB\$SEED.
- F. CDB\$ROOT is open read/write.

Correct Answer: ABD

# VCE & PDF Pass4itSure.com

# https://www.pass4itsure.com/1z0-063.html

2024 Latest pass4itsure 1Z0-063 PDF and VCE dumps Download

### **QUESTION 5**

Which two statements are true about service for pluggable databases (PDBs)? (Choose two.)

- A. The default service that is automatically created by a database at the time of PDB creation can be dropped, provided a new additional service is created.
- B. When a PDB is created, a service is automatically started in the instance with the same name as the PDB.
- C. A database managed by Oracle Restart can have additional services created or existing services modified by using the SRVCTL utility for each PDB.
- D. When a PDB is created, a service with the same name as the PDB is created in the PDB.
- E. Only a common user can create additional services for a PDB.

Correct Answer: BC

<u>1Z0-063 PDF Dumps</u>

1Z0-063 Practice Test

1Z0-063 Braindumps