



1Z0-066^{Q&As}

Oracle Database 12c: Data Guard Administrator

Pass Oracle 1Z0-066 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-066.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The Oracle database 12c Observer is currently running on host1 and you wish to have it running on host2.

Examine this list of possible steps:

- 1) Stop the observer on host1.
- 2) Disable Fast-Start Failover.
- 3) Update the broker configuration with the new observer hostname.
- 4) Enable Fast-Start Failover.
- 5) Start the Observer on host2.

Which contains the minimum required steps to move the observer to host2?

- A. Execute only task 5.
- B. Execute tasks 1, 3, and 5.
- C. Execute tasks 1, 2, 3, 4, and 5.
- D. Execute tasks 1 and 5.

Correct Answer: D

QUESTION 2

Which three are true concerning database states after a successful switchover?

- A. If the former primary database became a logical standby database it will be in mount state
- B. The new primary database will be open read-write.
- C. The former primary database will always be open.
- D. If the former primary database became a logical standby database it will be open read- write.
- E. if the former primary database became a physical standby database it will always be open read-only.
- F. If the former primary database became a physical standby database it will be in the same state as the former physical standby database

Correct Answer: ABE

QUESTION 3

Examine the Data Guard configuration: DGMGRL > show configuration; Configuration-Animals Protection Mode MaxPerformance Databases dogs-Primary database sheep-Snapshot standby database cats-Snapshot standby



database Fast-Start Failover: DISABLED Configuration Status: SUCCESS You receive an error while attempting to raise the protection mode to Maximum Availability: DGMGDR> edit configuration set protection mode as max availability; Error ORA-16627 operation disallowed since no standby databases would remain to support protection mode Failed.

Identify two statements that you can execute, either one of which will enable successful raising of the protection mode to Maximum Availability.

- A. DGMGRL> convert database sheep to physical standby;
- B. DGMGRL> convert database cats to physical standby;
- C. DGMGRL> edit database dogs set property LogXptMode= fastsync;
- D. DGMGRL> edit database sheep set property LogXptMode= fastsync;
- E. DGMGRL> edit database cats set property LogXptMode= sync;

Correct Answer: BE

QUESTION 4

Your Data Guard environment consists of these components and settings:

1.
A primary database
 2.
A remote physical standby database
 3.
Real-time query is enabled
 4.
The redo transport mode is set to SYNC.
 5.
The protection mode is set to Maximum Availability.
- You notice that queries executed on the physical standby database receive errors: ORA- 03172: STANDBY_MAX_DATA_DELAY of 15 seconds exceeded. Which two would you recommend to avoid this error?
- A. Change the protection mode to Maximum Performance.
 - B. Increase the size of the buffer cache on the standby database instance.
 - C. Reduce I/O latency for the storage used by the primary database.



- D. Change the protection mode to Maximum Protection.
- E. Increase the network bandwidth between the primary and standby databases
- F. Increase the number of standby redo log files on the primary database

Correct Answer: AE

QUESTION 5

Which three are true about disabling of the Data Guard Broker management of databases in a configuration and the effects of doing this? (Choose three.)

- A. The configuration transport mode may be modified while the entire configuration is disabled from broker management.
- B. Database properties may be modified when that database is disabled from broker management.
- C. A standby database that is the fast start failover target, may be disabled from broker management only by using the disable database DGMGRL command.
- D. The only way to disable broker management of the primary database is to use the disable configuration DGMGRL command.
- E. The only way to disable broker management of a far sync instance is to use the disable configuration DGMGRL command.

Correct Answer: BCD

Reference: https://docs.oracle.com/cd/B28359_01/server.111/b28295/cli.htm#i1005955

[Latest 1Z0-066 Dumps](#)

[1Z0-066 Exam Questions](#)

[1Z0-066 Braindumps](#)