



# 1Z0-066<sup>Q&As</sup>

Oracle Database 12c: Data Guard Administrator

## Pass Oracle 1Z0-066 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-066.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A query on the view DBA\_LOGSTDBY\_UNSUPPORTED on your primary database returns several rows.

As a result of this, you decide that an upgrade may not use logical standby databases

Which three are true about upgrading Data Guard environments consisting of one physical standby database running on a separate host from the primary?

- A. The upgrade requires downtime until the upgrade of the standby is completed.
- B. The broker must be disabled during the upgrade
- C. With manual upgrade, catupgrd.sql can be executed on the primary and standby databases simultaneously.
- D. The upgrade requires downtime until the upgrade of the primary is completed.
- E. The new release of the Oracle Software must be installed on both the primary and standby database hosts
- F. Redo Apply on the standby database must be stopped while the primary database is upgraded.
- G. Fast-Start Failover can be used to protect the primary database during the upgrade.

Correct Answer: BDE

---

**QUESTION 2**

You administer a Data Guard environment with a primary and two physical standby databases.

One of the physical standby databases is used for reporting and is on the same host as the primary database. The other physical standby database is remote, used for disaster recovery and REDO is routed to it via a far sync instance.

Backups are offloaded to the remote physical standby.

Which three are true concerning the management of archive logs in this Data Guard configuration?

- A. Archive logs on the primary database may be deleted once they are applied on all standby databases.
- B. Archive logs on the primary database may be deleted once they are shipped on all standby databases.
- C. The deletion policy for archive logs on the remote physical standby should be set so that archived logs are deleted once they backed up at least once on the remote physical standby database.
- D. The deletion policy for archive logs on the remote physical standby should be set so that archived logs are deleted once they are applied on all standby databases.
- E. Archive logs on the primary database may be deleted once they are archived locally to disk.

Correct Answer: ADE

---



### QUESTION 3

Your Data Guard environment has two remote physical standby databases.

Client applications use the local naming method to define connectivity to the primary database instance.

Which will automatically redirect clients to the new primary database in case of a switchover or failover?

- A. Create a database service on the standby databases; automate the start of the service after a role change, and modify the connection description on the clients to use that service.
- B. Configure a PRIMARY role service on the Primary and Standby and modify the Client connect descriptor to include both Primary and the Standby.
- C. Set the DB\_NAME parameter identically on all databases; modify the connection descriptor on the clients to use DB\_NAME to connect to the primary database instance.
- D. Set the LOCAL\_LISTENER parameter for all the database instances, to register services with the default listener on the primary database host.

Correct Answer: C

---

### QUESTION 4

Your Data Guard environment has a remote physical standby database with real-time query enabled, which is used for reporting, and a logical standby database used for DSS reporting.

Switchovers or failovers are possible due to testing or in case of a disaster.

Clients use local TNSNAMES.ORA files to define connection strings to the database instances.

Which three will prevent clients from connecting to the wrong database instances? (Choose three.)

- A. Client TNS entries for the databases use the correct service names for the intended service.
- B. A service name is registered with the local listener of each database instance.
- C. Oracle Net connectivity to the primary database instance must be established on all the standby database instances.
- D. The LOCAL\_LISTENER parameter on the primary database instance must always be set.
- E. The standby database services must be defined statically with the Listeners running on the standby database hosts.
- F. The DB\_NAME and DB\_UNIQUE\_NAME parameters must be set to the same value for all the databases in the Data Guard environment.
- G. The client applications must use the correct TNS entries when requesting connections to the database instances.

Correct Answer: CDG

References: <https://docs.oracle.com/en/database/oracle/oracle-database/19/sbydb/configuring-data-guard-standbydatabases-in-oracle-RAC.html#GUID-65F87F2F-6602-4673-B971-4AEE3B4F7B4D> <https://docs.oracle.com/database/121/NETAG/listenercfg.htm#NETAG010>  
[https://docs.oracle.com/cd/E11882\\_01/network.112/e41945/concepts.htm#NETAG177](https://docs.oracle.com/cd/E11882_01/network.112/e41945/concepts.htm#NETAG177)

---



### QUESTION 5

Which three factors can influence the rate of redo apply on a physical standby database?

- A. the network latency between the primary and standby databases
- B. the number of archiver processes on the standby database
- C. the number and size of standby redo logs on the primary database
- D. the rate of redo generation on the primary database
- E. the number and size of standby redo logs on the standby database

Correct Answer: ABE

[Latest 1Z0-066 Dumps](#)

[1Z0-066 Study Guide](#)

[1Z0-066 Exam Questions](#)