



1Z0-066^{Q&As}

Oracle Database 12c: Data Guard Administrator

Pass Oracle 1Z0-066 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-066.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer asks you to propose the most appropriate solution for this set of requirements:

1.

We need a disaster recovery solution that enables us to fail over from our production database with zero data loss.

2.

We want to generate reports from the proposed standby database at the same time that it is used for other purposes.

3.

Developers may need to test occasionally on a copy of the live database.

You have to already confirmed that there are no unsupported data types on the primary database Which two solutions would you recommend?

A. a remote physical standby database with RedoRoutes via a far sync instance

B. a snapshot standby database with synchronous redo transport

C. a physical standby database with real-time query enabled

D. a logical standby database

E. a read mostly implementation of a physical standby database

Correct Answer: BC

QUESTION 2

Which two are true about the use of RMAN recovery catalogs when offloading backups to a physical standby database?

A. It backups that are offloaded to a physical standby database are taken when not connected to a recovery catalog, then they may still be used for restoration on the primary database.

B. The physical standby database may be used to register the database in the recovery catalog, if the primary is not registered.

C. The primary and physical standby databases must be registered separately in the recovery catalog, if a far sync instance is used to route redo to the physical standby database.

D. It is not necessary to use a recovery catalog unless a far sync instance is used to route redo to the physical standby database.

E. Primary and physical standby database may use different virtual recovery catalogs in the same physical recovery catalog

Correct Answer: DE

**QUESTION 3**

Examine the Fast-start configuration

```
DGMGRL> show fast_start failover;
```

```
Fast-Start Failover: ENABLED
```

```
Threshold : 30 seconds
```

```
Target: sheep
```

```
Observer : 017.example.com
```

```
Lag Limit: 30 seconds (not in use)
```

```
Shutdown Primary: TRUE
```

```
Auto-reinstate: TRUE
```

```
Observer Reconnect: (none)
```

```
Observer Override: FALSE
```

```
Configurable Failover Conditions
```

```
Health Conditions:
```

```
Corrupted Controlfile YES
```

```
Corrupted Dictionary YES
```

```
Inaccessible Logfile NO
```

```
Stuck Archiver YES
```

```
Datafile Offline YES
```

Oracle Error Conditions: (none) Which three are true?

- A. The observer will initiate a failover when the primary database is unable to produce local archived redo log files.
- B. An automatic failover will be initiated even if the target standby database lags behind the primary
- C. The observer is running
- D. a failover may occur if the observer has lost connectivity to the primary database, even if the Fast-Start Failover target standby database has a good connection to the primary database
- E. The configuration operates in Maximum Availability mode
- F. The configuration operates in Maximum Performance mode

Correct Answer: ACE

QUESTION 4

You have a Data Guard Broker configuration called Somewhere\ as shown: Which two are true about the output of this DGMGRL command?



```
DGMGRL> show configuration;
```

Configuration –Somewhere

Protection Mode: MaxPerformance

Databases:

Nearby-Primary database

FS-Far Sync

Farout-Physical standby database

Fast-Start Failover: DISABLED

Configuration Status: SUCCESS

You then run this command:

```
DGMGRL> SHOW DATABASE 'Nearby' 'InconsistentProperties';
```

- A. A far sync instance cannot have inconsistent properties because it has no database.
- B. It shows all properties whose broker configuration values for database Nearby are inconsistent with the broker configuration values for database Farout.
- C. It shows all properties whose broker configuration values for database Nearby are inconsistent with the values in the corresponding server parameter file or the runtime values for database instance Nearby.
- D. Any inconsistency reported is on an instance-specific basis.

Correct Answer: CD

QUESTION 5

Which two are prerequisites for enabling Automatic Block Media Recovery in a Data Guard environment consisting of a primary database, one physical standby database and one logical standby database?

- A. FLASHBACK DATABASE must be enabled on the physical standby database.
- B. There must be connectivity between the primary and the physical standby database.
- C. FLASHBACK DATABASE must be enabled on the primary database.
- D. The physical standby database must have Real-Time Apply enabled.
- E. The logical standby database must have Real-Time Query enabled

Correct Answer: CD



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/1z0-066.html>

2024 Latest pass4itsure 1Z0-066 PDF and VCE dumps Download

[Latest 1Z0-066 Dumps](#)

[1Z0-066 VCE Dumps](#)

[1Z0-066 Study Guide](#)