



1Z0-067^{Q&As}

Upgrade Oracle9i/10g/11g OCA to Oracle Database 12c OCP

Pass Oracle 1Z0-067 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-067.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

In which three situations must you use a recovery catalog? (Choose three.)

- A. when you want to store RMAN global scripts that can be used across multiple databases
- B. when you want to list data files that were in a target database at a given time by using the AT clause with the REPORT SCHEMA command
- C. when you want to restrict the amount of space used by backups
- D. when you want to maintain backup metadata longer than the period specified by the CONTROL_FILE_RECORD_KEEP_TIME parameter
- E. when you want to perform incremental backups by using a block change tracking file

Correct Answer: ABD

QUESTION 2

You restore and recover your database to a new host by using an existing RMAN open database backup.

Which step must you perform next?

- A. Execute catproc.sql to recompile invalid PL/SQL modules.
- B. Open the database with the resetlogs option.
- C. Set a new database identifier (DBID) for the newly restored database.
- D. Use the RMAN set newname and switch commands to switch to new files.

Correct Answer: B

Reference: https://docs.oracle.com/cd/B10501_01/server.920/a96566/rcmrecov.htm#1007514

QUESTION 3

Your database is running on the host OUSERVER. You back up your database regularly using RMAN and the backups are cataloged in a recovery catalog. For testing purposes, you want to replicate your database to another host, OUSERVER1, with the same directory structure. So, you copy the backups to the new host. What must you do to make the database operational in OUSERVER1?

- A. Restore the data files by using the NOCATALOG option and use the SET NEWNAME command to change the location
- B. Restore the control file from the backup by using the CATALOG options, restore the data files by using the SET NEWNAME command, and recover the data files
- C. Restore the data files from the backup by using the recovery catalog, use the SWITCH command to change the location, and recover the data files



D. Restore the control file from the backup by using the NOCATALOG option, and then restore and recover the data files

Correct Answer: D

QUESTION 4

You execute the command to recover your database.

```
RMAN> RUN
{
  SET UNTIL TIME '2015-02-28:16:45:00';
  RESTORE DATABASE;
  RECOVER DATABASE;
}
```

Which statement is true?

- A. It restores all data files from the specified time, and then applies the redo logs
- B. It restores all data files, redo log files, and control files, and then applies the redo logs up to the specified time
- C. It restores all data files and control files from the most recent backup taken before the "until time", and then recovers up to the "until time" using any restored archive logs that are needed to complete the task
- D. It restores the control file and all data files from the most recent backup, and then applies the redo logs up to the "until time".

Correct Answer: C

QUESTION 5

Examine this command:

```
SQL>ALTER SYSTEM SET db_securefile = `IGNORE`;
```

Which statement is true?

- A. It forces SecureFiles to be created even if the BASICFILE option is specified
- B. It forces SecureFiles to be created using default values and ignores any SECUREFILE parameters
- C. It forces BasicFiles to be created even if the SECUREFILE option is specified
- D. It ignores the SECUREFILE option only if storing the LOB segment in a Free List managed tablespace

Correct Answer: C
