



# 1Z0-067<sup>Q&As</sup>

Upgrade Oracle9i/10g/11g OCA to Oracle Database 12c OCP

## Pass Oracle 1Z0-067 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-067.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You use RMAN to take regular backups for your database. Examine the RMAN commands:

RMAN> CROSSCHECK BACKUP; RMAN> DELETE EXPIRED BACKUP;

Which statement is true?

- A. All metadata pertaining to backups and archived redo log files that have exceeded the age set by the RMAN retention policy are deleted from the repository.
- B. All backups that have exceeded the age set by the RMAN retention policy are deleted.
- C. All metadata, for backups and archived redo log files that are recorded in the repository but do not exist on disk or media, is deleted.
- D. All backups and archived redo log files that are not required for the recovery are deleted and the repository is updated.

Correct Answer: C

---

### QUESTION 2

Examine these parameter values: There are currently no user defined tablespaces with an 8K or 16K blocksize. Which statement would return an error?



SQL> show parameter DB

NAME	TYPE	VALUE
db_16k_cache_size	big integer	64M
db_2k_cache_size	big integer	0
db_32k_cache_size	big integer	0
db_4k_cache_size	big integer	0
db_8k_cache_size	big integer	0
db_block_buffers	integer	0
db_block_checking	string	FALSE
db_block_checksum	string	TYPICAL
db_block_size	integer	8192
db_cache_advice	string	ON
db_cache_size	big integer	0

SQL> show parameter sga\_

NAME	TYPE	VALUE
sga_max_size	big integer	480M
sga_target	big integer	480M

- A. ALTER SYSTEM SET DB\_CACHE\_SIZE=50M;  
B. ALTER SYSTEM SET DB\_16K\_CACHE\_SIZE=0;  
C. ALTER SYSTEM SET DB\_16K\_CACHE\_SIZE=10M;  
D. ALTER SYSTEM SET DB\_8K\_CACHE\_SIZE=10M;  
E. ALTER SYSTEM SET DB\_4K\_CACHE\_SIZE=10M;

Correct Answer: D

---

### QUESTION 3

Examine the command to back up the ASM metadata:

```
ASMCMD>md_backup /backup/ASM_backup
```

In which three situations can you use the backup?

- A. when one or more disks in an ASM disk group are lost



- B. when the data file on an ASM disk group gets corrupted
- C. when one of the disks in a disk group is accidentally unplugged
- D. when one or more file directory paths are accidentally deleted from an ASM disk group
- E. when all the ASM disk groups for the ASM instance are lost

Correct Answer: ADE

The md\_backup command creates a backup file containing metadata for one or more disk groups. i By default all the mounted disk groups are included in the backup file which is saved in the current working directory.

The md\_backup command creates a backup file containing metadata for one or more disk groups.

Reference:<http://www.hhutzler.de/blog/asm-backup-and-restore-dg-metadata/>

[http://docs.oracle.com/cd/E11882\\_01/server.112/e18951/asm\\_util004.htm#OSTMG94578](http://docs.oracle.com/cd/E11882_01/server.112/e18951/asm_util004.htm#OSTMG94578)

---

#### QUESTION 4

You use RMAN with a recovery catalog to back up your database. The backups and the archived redo log files are backed up to media daily. Because of a media failure, the entire database along with the recovery catalog database is lost.

Examine the steps required to recover the database:

- 1.Restore an autobackup of the server parameter file. 2.Restore the control file.
3. Start up the database instance in nomount state.
- 4.Mount the database.
- 5.Restore the data files.
- 6.Open the database with the resetlogs option.
- 7.Recover the data files.
- 8.Set DBID for the database.

Identify the required steps in the correct order.

- A. 1, 8, 3, 2, 4, 5, 7, 6
- B. 8, 1, 3, 2, 4, 5, 7, 6
- C. 1, 3, 2, 4, 8, 5, 6, 7
- D. 8, 3, 2, 4, 5, 7, 6
- E. 8, 1, 3, 2, 4, 5, 6



Correct Answer: D

---

#### QUESTION 5

ENCRYPT\_TS an encrypted tablespace that contains tables with data.

Which statement is true about queries and data manipulation language statements on these tables?

- A. Queries may be performed on columns that have the NO SALT option.
- B. Data remains encrypted when read into the buffer cache.
- C. Redo generated by DML remains encrypted.
- D. UNDO generated by DML remains encrypted if the UNDO tablespace is encrypted.
- E. Data remains encrypted when read into the PGA for direct path reads.

Correct Answer: C

[1Z0-067 Study Guide](#)

[1Z0-067 Exam Questions](#)

[1Z0-067 Braindumps](#)