



1Z0-067^{Q&As}

Upgrade Oracle9i/10g/11g OCA to Oracle Database 12c OCP

Pass Oracle 1Z0-067 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-067.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You are administering a multitenant container database (CDB) CDB1 with two pluggable databases (PDBs), PDB1 and PDB2. You execute the following commands on CDB\$ROOT as the SYS user:

```
SQL> CREATE USER c##scott IDENTIFIED BY scottorcl1;
```

```
SQL> GRANT CREATE SESSION TO c##scott;
```

Which statement is true about the C##SCOTT user? (Choose the best answer.)

- A. It is created in all the PDBs with CREATE SESSION privilege.
- B. It is created in all the PDBs but has CREATE SESSION privilege only in CDB\$ROOT.
- C. It is created and has the CREATE SESSION privilege only in a PDB that is open.
- D. It is created only in CDB\$ROOT and has the CREATE SESSION privilege.

Correct Answer: D

QUESTION 2

Your multitenant container database (CDB) contains multiple pluggable databases (PDBs). You execute the command to create a common user:

```
SQL> CREATE USER c##a_admin IDENTIFIED BY password DEFAULT TABLESPACE users QUOTA 100M ON users  
TEMPORARY TABLESPACE temp;
```

Which statement is true about the execution of the command?

- A. The common user is created in the CDB and all the PDBs, and uses the users and temp tablespaces of the CDB to store schema objects.
- B. The command succeeds only if all the PDBs have the users and temp tablespaces.
- C. The command gives an error because the container=all clause is missing.
- D. The command succeeds and sets the default permanent tablespace of a PDB as the default tablespace for the c##a_admin user if the users tablespace does not exist in that PDB.

Correct Answer: B

When creating a common user, any tablespace, tablespace group or profile specified in the CREATE command must exist in every PDB. If none of these are specified, the default TABLESPACE, TEMPORARY TABLESPACE, and PROFILE for the PDB will be used.

QUESTION 3



The CATDB12c database contains an Oracle Database version 12c catalog schema owned by the RC12C user.

The RCAT11 database contains an Oracle Database version 11g catalog schema owned by the RC11 user in which several databases are registered. Both the databases are open.

You execute the RMAN commands: RMAN> CONNECT CATALOG rc12c/pass12c@catdb12c RMAN> IMPORT CATALOG rc11/pwdcat11@ract11

Which two tasks are performed as part of the import? (Choose two.)

- A. All databases registered in the RC11 catalog are registered in the RC12C catalog.
- B. Databases from the RC12C catalog are implicitly unregistered if the RC11 catalog has registered databases with same name.
- C. Local and global stored scripts that have the same name as existing scripts in the RC12C catalog are automatically renamed.
- D. Imported databases are unregistered from the RC11 catalog.
- E. Recovery catalog is resynchronized with the control files of the registered databases.

Correct Answer: AD

QUESTION 4

You notice that the performance of your production 24x7 Oracle 12c database has significantly degraded. Sometimes, you are not able to connect to the database instance because it hangs.

How can you detect the cause of the degraded performance?

- A. by performing emergency monitoring using Real-Time Automatic Database Diagnostic Monitor (ADDM) to fetch data directly from SGA for analysis
- B. by running ADDM to fetch information from the latest Automatic Workload Repository (AWR) snapshots
- C. by using Active Session History (ASH) data and performing hang analysis
- D. by running ADDM in diagnostic mode

Correct Answer: B

QUESTION 5

Which two methods can be used to add an Oracle 11g database to a multitenant container database (CDB) as a pluggable database (PDB)?

- A. Use the DBMS_pdb package to plug the Oracle 11g database into the existing CDB as a PDB.
- B. Use the create database ... enable pluggable database statement to create a PDB by copying data files from pd3Seed and use data pump to load data from the Oracle 11g database into the newly created PDB.
- C. Pre-create a PDB in CDB and use data pump to load data from the complete database export of the Oracle 11g



database into the newly created PDB.

D. Pre-create a PDB in CDB and use the network_link and parallel parameters with data pump import to import data from the Oracle 11g database to the newly created PDB.

E. Upgrade the Oracle 11g database to a 12c non-CDB and use the dbms_pdb.describe procedure to plug the database as a new PDB into the CDB.

Correct Answer: DE

[1Z0-067 Study Guide](#)

[1Z0-067 Exam Questions](#)

[1Z0-067 Braindumps](#)