



# 1Z0-071<sup>Q&As</sup>

Oracle Database 12c SQL

## Pass Oracle 1Z0-071 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-071.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You want to display 5 percent of the rows from the SALES table for products with the lowest AMOUNT\_SOLD and also want to include the rows that have the same AMOUNT\_SOLD even if this causes the output to exceed 5 percent of the rows.

Which query will provide the required result?

- A. `SELECT prod_id, cust_id, amount_sold FROM sales ORDER BY amount_sold FETCH FIRST 5 PERCENT ROWS WITH TIES;`
- B. `SELECT prod_id, cust_id, amount_sold FROM sales ORDER BY amount_sold FETCH FIRST 5 PERCENT ROWS ONLY WITH TIES;`
- C. `SELECT prod_id, cust_id, amount_sold FROM sales ORDER BY amount_sold FETCH FIRST 5 PERCENT ROWS WITH TIES ONLY;`
- D. `SELECT prod_id, cust_id, amount_sold FROM sales ORDER BY amount_sold FETCH FIRST 5 PERCENT ROWS ONLY;`

Correct Answer: A

---

**QUESTION 2**

Which three are true about privileges? (Choose three.)

- A. A combination of object and system privileges can be granted to a role.
- B. All types of schema objects have associated object privileges.
- C. Schema owners can grant object privileges on objects in their schema to any other user or role.
- D. Only users with the DBA role can create roles.
- E. Only users with the GRANT ANY PRIVILEGE privilege can grant and revoke system privileges from other users.
- F. Object privileges granted on a table automatically apply to all synonyms for that table.

Correct Answer: ACF

---

**QUESTION 3**

Examine the description of the SALES1 table:



Name	Null	Type
SALES_ID	NOT NULL	NUMBER
STORE_ID	NOT NULL	NUMBER
ITEMS_ID		NUMBER
QUANTITY		NUMBER
SALES_DATE		DATE

SALES2 is a table with the same description as SALES1,

Some sales data is duplicated in both tables.

You want to display the rows from the SALES1 table which are not present in the SALES2 table.

Which set operator generates the required output?

- A. SUBTRACT
- B. INTERSECT
- C. UNION ALL
- D. MINUS
- E. UNION

Correct Answer: D

---

#### QUESTION 4

You execute these commands successfully:

```
CREATE GLOBAL TEMPORARY TABLE invoices_gtt (  
  customer_id INTEGER,  
  invoice_total NUMBER(10,2)  
) ON COMMIT PRESERVE ROWS;  
  
INSERT INTO invoices_gtt VALUES (1, 100);  
  
COMMIT;
```

Which two are true?

- A. You can add a foreign key to the table.
- B. When you terminate your session, the row will be deleted.
- C. To drop the table in this session, you must first truncate it.



- D. You can add a column to the table in this session.
- E. Other sessions can view the committed row.

Correct Answer: BC

---

#### QUESTION 5

Which two are true about savepoints? (Choose two.)

- A. After issuing a savepoint, you can roll back to the savepoint name within the current transaction.
- B. They make uncommitted updates visible to sessions owned by other users.
- C. You can commit updates done between two savepoints without committing other updates in the current transaction.
- D. A ROLLBACK TO SAVEPOINT command issued before the start of a transaction results in an error.
- E. They make uncommitted updates visible to other sessions owned by the same user.
- F. After issuing a savepoint, you cannot roll back the complete transaction.

Correct Answer: AD

[Latest 1Z0-071 Dumps](#)

[1Z0-071 PDF Dumps](#)

[1Z0-071 Practice Test](#)