



1Z0-072^{Q&As}

Oracle Database 12cR2 Administration

Pass Oracle 1Z0-072 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-072.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

In the ORCL database, USER1 has unlimited quota on TBS1 and TBS2. The USER1.EMP table with primary key EMP_ENO_PK resides in TBS1. USER1.EMP_IDX residing in TBS2 is an index on U1.EMP.ENAME. TBS1 is exported from ORCL by using this command:

```
[oracle@host01 ~]$ expdp system/oracle tablespace=tbs1
directory=exp_dir dumpfile=tbs1.dmp
```

The TESTDB database has a TBS1 tablespace but no TBS2. The SYSTEM user in TESTDB executes this command:

```
[oracle@host01 ~]$ impdp system/oracle directory=exp_dir
dumpfile=u1.dmp tablespace=tbs1
```

What is the result and why?

- A. It imports EMP, EMP_ENO_PK, and the unique index associated with EMP_ENO_PK and EMP_IDX.
- B. It imports only EMP, EMP_ENO_PK, and the unique index associated with EMP_ENO_PK.
- C. It fails because TESTDB has TBS1.
- D. It imports only EMP.
- E. It fails because TESTDB does not have TBS2 to create EMP_IDX.

Correct Answer: B

QUESTION 2

TBS1 is a permanent user-defined tablespace created with Oracle Managed Files (OMF). Examine this command:

```
DROP TABLESPACE tbs1;
```

Which is required to ensure that TBS1 is dropped and its datafiles are deleted from their file system?

- A. The INCLUDING CONTENTS AND DATAFILES clause must be added to the command.
- B. TBS1 must be placed in READ ONLY state.
- C. Objects in TBS1 must not be in use when the command is executed.
- D. TBS1 must not contain any temp files.
- E. DB_CREATE_FILE_DEST must refer to an Oracle Automatic Storage Management (ASM) disk group.



Correct Answer: A

Reference: https://docs.oracle.com/cd/B19306_01/server.102/b14200/statements_9004.htm

QUESTION 3

orcl.dmp contains a full export of the ORCL database.

This command is executed to load data from orcl.dmp into the TESTDB database:

```
[oracle@host01 ~] impdp system/oracle \  
> SCHEMAS=sh,oe \  
> REMAP_SCHEMA=sh:hr \  
> DUMPFILE=orcl.dmp \  
> EXCLUDE=index \  
> TABLE_EXISTS_ACTION=replace \  
> LOGFILE=impdp.log
```

Which two are true? (Choose two.)

- A. It skips only tables that exist in both ORCL:SH and TESTDB:HR.
- B. It drops and recreates tables that exist in both ORCL:SH and TESTDB:HR.
- C. It skips all indexes of ORCL:SH and ORCL:OE.
- D. It skips only indexes that exist in both ORCL:SH and TESTDB:HR.
- E. It drops and re-creates indexes that exist in both ORCL:SH and TESTDB:HR.

Correct Answer: DE

QUESTION 4

You execute this command:

```
CREATE SMALLFILE TABLESPACE sales  
    DATAFILE '/u01/app/oracle/sales01.dbf' SIZE 5G  
    SEGMENT SPACE MANAGEMENT AUTO;
```

Which two statements are true about the SALES tablespace? (Choose two.)

- A. The FREELISTS and FREELIST GROUPS parameters are used to manage extent allocation.



- B. It is read-only by default.
- C. DML operations performed on objects in this tablespace are not logged by default.
- D. It uses the default blocksize used at database creation.
- E. It is a locally managed tablespace.
- F. It is offline by default.

Correct Answer: AD

QUESTION 5

A user complains about poor database performance. You suspect that the user's session is waiting for an event to complete.

You want to verify this.

Which two views may reveal for what the user's session is currently waiting? (Choose two.)

- A. V\$SYSTEM_EVENT
- B. V\$SESSION_EVENT
- C. V\$SESSION_WAIT_CLASS
- D. V\$SESSION_WAIT
- E. V\$SESSION

Correct Answer: BD

Reference: <https://blogs.oracle.com/oraclemagazine/beginning-performance-tuning-diagnose-the-past>

[Latest 1Z0-072 Dumps](#)

[1Z0-072 PDF Dumps](#)

[1Z0-072 Exam Questions](#)