

1Z0-074^{Q&As}

Upgrade Oracle DBA 11g or 12c to 12c R2

Pass Oracle 1Z0-074 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1z0-074.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which three database objects can have columns stored in the In-Memory (IM) column store? (Choose three.)

- A. subpartitions
- B. clustered tables
- C. materialized views
- D. index-organized tables
- E. heap tables
- F. any SYS owned objects

```
Correct Answer: BDF
```

Reference: https://docs.oracle.com/en/database/oracle/oracle-database/12.2/inmem/populating-objects-inmemory.html#GUID-5D4B2A1F-815F-4FDC-91F8- E5CF7179985B

QUESTION 2

You plan to execute this command:

```
CREATE TABLE sales
```

| (prod id | NUMBER(3), |
|--------------------------------------|----------------------------------|
| annual_sale_amt | NUMBER(10, 2), |
| country | VARCHAR2(4), |
| channel | VARCHAR2 (1) |
|) | |
| PARTITION BY LIST (country, channel) | |
| (PARTITION p1 VALU | JES (('USA', 'D'), ('CA', 'D')), |
| PARTITION p2 VALU | JES (('USA', 'I'), ('CA', 'I')) |
|); | |

Which statement is true and why?

A. It creates partitions P1 and P2 where COUNTRY is a single column partition key and CHANNEL is a subpartition key.

B. It returns an error because only one set of multiple values can be specified for each partition.



- C. It returns an error because only a single column key can be used for a list-partitioned table.
- D. It returns an error because the AUTOMATIC option must be specified.
- E. It creates partitions P1 and P2 where COUNTRY and CHANNEL are multi-column partition keys.

Correct Answer: E

QUESTION 3

Which two statements are true about clean restore points in a regular PDB? (Choose two.)

- A. They require a clone instance to be created when used in a PDB flashback operation
- B. They can be created for a PDB when connected to either the PDB or to the root
- C. They require backups to be restored when used in a PDB flashback operation
- D. They are created as guaranteed restore points
- E. They can be created only if shared undo is enabled
- F. They can be created only for a PDB in the mount state

Correct Answer: EF

Reference: https://docs.oracle.com/en/database/oracle/oracle-database/12.2/bradv/using-flasbackdatabase-restore-points.html

QUESTION 4

Which three statements are true about the SQL Performance Analyzer? (Choose three.)

- A. It recommends the use of SQL Tuning Advisor for regressed SQL statements.
- B. It recommends the creation of indexes for regressed SQL statements.
- C. It compares and analyzes execution plans for the SQL statements in a SQL Tuning Set (STS).
- D. It always executes triggers that are fired recursively in FULLDML mode.
- E. It generates execution plans for each SQL statement in an STS.

Correct Answer: ACE

Reference: https://docs.oracle.com/cd/B19306_01/server.102/e12024/spa.htm

QUESTION 5

In which two situations does the INHERIT ANY PRIVILIGES privilege regulate the privileges used?

- A. when a user creates a new user
- B. when a user performs a GRANT or REVOKE operation
- C. when a user queries a BEQUEATH CURRENT_USER view that references an invoker\\'s right procedure
- D. when a user runs a procedure created with invoker\\'s right
- E. when a user runs a procedure created with definer\\'s right
- Correct Answer: CD

Reference: https://docs.oracle.com/database/121/DBSEG/dr_ir.htm#DBSEG661

1Z0-074 Practice Test

1Z0-074 Study Guide

1Z0-074 Exam Questions