1Z0-082 Q&As

Oracle Database Administration I

Pass Oracle 1Z0-082 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1z0-082.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase
100% Money Back Guarantee
365 Days Free Update
800,000+ Satisfied Customers

QUESTION 1

Examine this SQL statement:

SELECT cust_id, cust_last_name "Last Name" FROM customers WHERE country_id = 10 UNION SELECT cust_id CUST_NO, cust_last_name FROM customers WHERE country_id = 30

Identify three ORDER BY clauses, any one of which can complete the query successfully. (Choose three.)

A. ORDER BY "Last Name"

B. ORDER BY 2, 1

C. ORDER BY 2, cust_id

D. ORDER BY CUST_NO

E. ORDER BY "CUST_NO"

Correct Answer: ABC

QUESTION 2

In your data center, Oracle Managed Files (OMF) is used for all databases.

All tablespaces are smallfile tablespaces.

SALES_Q1 is a permanent user-defined tablespace in the SALES database.

Examine this command which is about to be issued by a DBA logged in to the SALES database:

ALTER TABLESPACE sales_q1 ADD DATAFILE;

Which are two actions, either one of which you could take to ensure that the command executes successfully? (Choose two.)

A. Ensure that DB_RECOVERY_FILE_DEST and DB_CREATE_FILE_DEST each specify with at least 50 Mb of available space.

B. Specify a path in the DATAFILE clause of the command specifying a location with at least 100M of available space.

C. Ensure that DB_CREATE_FILE_DEST specifies a location with at least 100 Mb of available space.

D. Add the AUTOEXTEND ON clause with NEXT set to 100M.

E. Ensure that DB_RECOVERY_FILE_DEST and DB_CREATE_FILE_DEST each specify locations with at least 50 Mb of available space.

Correct Answer: BC

https://oracle-base.com/articles/9i/oracle-managed-files

-Files typically have a default size of 100M

- if OMF is used you do not need to specify a path for the new created datafile BUT we have to "ensure that the command executes successfully"

QUESTION 3

Table ORDER_ITEMS contains columns ORDER_ID, UNIT_PRICE and QUANTITY, of data type

NUMBER.

Examine these SQL statements:

Statement 1:

SELECT MAX(unit_price * quantity) "Maximum Order"

FROM order_items;

Statement 2:

SELECT MAX(unit_price * quantity) "Maximum Order"

FROM order_items

GROUP BY order_id;

Which two statements are true?

A. Statement 1 returns only one row of output.

B. Statement 2 returns only one row of output.

C. Both statements will return NULL if either UNIT_PRICE or QUANTITY contains NULL.

D. Both the statements give the same output.

E. Statement 2 may return multiple rows of output.

Correct Answer: AE

The Expression can contain multiple column references or expressions, but it cannot contain another aggregate or subquery. It must evaluate to a built-in data type. You can therefore call methods that evaluate to built-in data types. (For example, a method that returns a java.lang.Integer or int evaluates to an INTEGER.) If an expression evaluates to NULL, the aggregate skips that value.

https://docs.oracle.com/javadb/10.8.3.0/ref/rrefsqlj27781.html

QUESTION 4

Which two statements are true about single row functions? (Choose two.)

A. MOD : returns the quotient of a division operation

B. FLOOR : returns the smallest integer greater than or equal to a specified number

C. TRUNC : can be used to combine any number of values

D. CONCAT : can be used to combine any number of values

E. CEIL : can be used for positive and negative numbers

Correct Answer: CE

Reference: https://docs.oracle.com/en/database/oracle/oracle-database/18/sqlrf/Single-RowFunctions.html#GUID-B93F789D-B486-49FF-B0CD-0C6181C5D85C

QUESTION 5

Which two are true about a SQL statement using SET operators such as UNION? (Choose two.)

A. The data type group of each column returned by the second query must match the data type of the corresponding column returned by the first query.

B. The number, but not names, of columns must be identical for all SELECT statements in the query.

C. The data type of each column returned by the second query must exactly match the data type of the corresponding column returned by the first query.

D. The names and number of columns must be identical for all SELECT statements in the query.

E. The data type of each column returned by the second query must be implicitly convertible to the data type of the corresponding column returned by the first query.

Correct Answer: AB

https://docs.oracle.com/en/database/oracle/oracle-database/21/sqlrf/The-UNION-ALL-INTERSECTMINUS-Operators.html#GUID-B64FE747-586E-4513-945F-80CB197125EE

1Z0-082 VCE Dumps 1Z0-082 Study Guide 1Z0-082 Braindumps