



# 1Z0-083<sup>Q&As</sup>

Oracle Database Administration II

**Pass Oracle 1Z0-083 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-083.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You are working on an Oracle Database 19c database. You enabled the Flashback Database feature. Which two statements regarding flashback logs are true? (Choose two.)

- A. Flashback logs are not archived.
- B. Flashback logs are maintained in redo log files.
- C. Flashback logs are maintained in the Flash Recovery Area.
- D. Flashback logs are used to maintain Flashback Database related errors.
- E. Flashback logs need to be cleared manually after you disable Flashback Database.

Correct Answer: AC

---

**QUESTION 2**

Identify three scenarios in which RMAN will use backup sets to perform active database duplication.

- A. when the duplicate ... from active database command contains the section size clause
- B. when you perform active database duplication on a database with flashback disabled
- C. when you specify set encryption before the duplicate ... from active database command
- D. when the number of auxiliary channels allocated is equal to or greater than the number of target channels
- E. when you perform active database duplication on a database that has readonly tablespaces

Correct Answer: ACD

Starting with Oracle Database 12c Release 1 (12.1), RMAN can use backup sets to transfer the source database files that need to be duplicated. The backup sets are transferred over the network to the auxiliary database. Backup sets can be encrypted for additional security. Specify the encryption algorithm by using the SET ENCRYPTION ALGORITHM command before the DUPLICATE command. RMAN uses backup sets to perform active database duplication when the connection to the target database is established using a net service name and any one of the following conditions is satisfied: The DUPLICATE ... FROM ACTIVE DATABASE command contains either the USING BACKUPSET, USING COMPRESSED BACKUPSET, or SECTION SIZE clause. The number of auxiliary channels allocated is equal to or greater than the number of target channels allocated. <http://docs.oracle.com/database/121/BRADV/rcmdupdb.htm#BRADV298>

---

**QUESTION 3**

You must transport the UNIVERSITY tablespace from one database to another.

The UNIVERSITY tablespace is currently open read/write.

The source and destination platforms have different endian formats.



Examine this list of actions:

1.  
Make the UNIVERSITY tablespace read-only on the source system.
2.  
Export the UNIVERSITY tablespace metadata using EXPDP.
3.  
Convert the UNIVERSITY tablespace data files to the destination platform format using RMAN on the source system.
4.  
Copy the UNIVERSITY tablespace data files to the destination system.
5.  
Copy the Data Pump dump set to the destination system.
6.  
Convert the UNIVERSITY tablespace data files to the destination platform format using RMAN on the destination system.
7.  
Import the UNIVERSITY tablespace metadata using IMPDP.
8.  
Make the UNIVERSITY tablespace read/write on the destination system.

Which is the minimum number of actions required, in the correct order, to transport the UNIVERSITY tablespace?

- A. 1, 2, 4, 5, 7, 8
- B. 1, 2, 4, 6, 7, 8
- C. 1, 2, 3, 4, 5, 7, 8
- D. 1, 2, 3, 4, 5, 6, 7, 8
- E. 2, 4, 5, 6, 7

Correct Answer: C

---

#### QUESTION 4

Examine this configuration:



1.

CDB1 is a container database.

2.

COMMON\_USER\_PREFIX is C##.

3.

PDB1 is a pluggable database contained in CDB1.

4.

APP1\_ROOT is an application container contained in CDB1.

5.

APP1\_PDB1 is an application PDB contained in APP1\_ROOT.

You execute these commands successfully:

```
$ sqlplus sys/oracle_4U@localhost:1521/cdb1 as sysdba
```

```
SQL> CREATE USER c##user1 identified by oracle_4U container=all;
User created.
```

```
SQL> ALTER SESSION SET CONTAINER=pdb1;
Session altered.
```

```
SQL> CREATE USER p1_user1 identified by oracle_4U;
User Created.
```

```
SQL> ALTER SESSION SET CONTAINER=app1_root;
Session altered.
```

```
SQL> ALTER PLUGGABLE DATABASE APPLICATION app1_cdb1_app BEGIN INSTALL '1.0';
Session altered.
```

```
SQL> CREATE USER app1_user1 IDENTIFIED BY oracle_4U;
User Created.
```

```
SQL> ALTER PLUGGABLE DATABASE APPLICATION app1_cdb1_app END INSTALL '1.0';
Pluggable database altered.
```

Which two are true? (Choose two.)

- A. APP1\_USER1 can be created in PDB1.
- B. APP1\_USER1 can be created in CDB1.
- C. APP1\_USER1 can have different privileges in each Application PDB contained in APP1\_ROOT.
- D. C##\_APP\_USER1 can be created in CDB1.



E. P1\_USER1 can be created in CDB1.

F. C##\_USER1 will have the same privileges and roles granted in all PDBs in CDB1.

Correct Answer: AD

---

#### QUESTION 5

Which three are true about Recovery Manager (RMAN) in Oracle Database 19c and later releases? (Choose three.)

- A. It is only possible for RMAN to connect to a pluggable database as a target if an RMAN Virtual Private Catalog is used.
- B. It is always possible for RMAN to connect to a pluggable database as a target if any RMAN Catalog is used.
- C. A Virtual Private Catalog used to register a container database must be created in a pluggable database.
- D. A Virtual Private Catalog used to register a container database can be created in a pluggable database.
- E. It is always possible for RMAN to connect to a pluggable database as a target.
- F. A Virtual Private Catalog used to register a container database can be created in a non-container database.

Correct Answer: DEF

[Latest 1Z0-083 Dumps](#)

[1Z0-083 PDF Dumps](#)

[1Z0-083 Exam Questions](#)