



1Z0-100^{Q&As}

Oracle Linux 5 and 6 System Administration

Pass Oracle 1Z0-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

What is the default volume or device type for swap space in Oracle Linux, when choosing the "basic storage devices" option during the install? (Choose the best answer.)

- A. a partition on a Logical Volume Manager Logical (LVM) managed volume
- B. a partition on a local hard disk
- C. a Linux Multi Disk (MD) driver device
- D. a partition on a flash disk
- E. a swap file on the root file system

Correct Answer: B

QUESTION 2

Which statement is true concerning the /etc/sysconfig directory and its files and subdirectories?

- A. The contents are always the same for a specific version of the Oracle Linux Kernel.
- B. The file /etc/sysconfig/init is used by upstart to control the attributes of the tty devices that get started.
- C. The directory /etc/sysconfig/network-scripts contains files that must not be modified while the network is up.
- D. The files only contain default values for certain daemon processes.

Correct Answer: B

The /etc/sysconfig/init file controls how the system appears and functions during the boot process.

Note: The /etc/sysconfig directory contains files that control your system's configuration. The contents of this directory depend on the packages that you have installed on your system

QUESTION 3

Examine the output shown:

```
[root@FAROUT fs] # rpm -qa | grep preinstall Oracle-rdbms-server-11gR2-preinstall-1.0-6.e16.x86_64
```

```
[root@FAROUT fs] # rpm -q1 oracle-rdbms-server-11gR2-preinstall-1.0-6.e16.x86_64 /etc/rc.d/init.d/ oracle-rdbms-server-11gR2-preinstall-firstboot /etc/sysconfig/Oracle-rdbms-server-11gR2-preinstall-verify /etc/sysconfig/oracle-rdbms-server-11gR2-preinstall/Oracle-rdbms-server-11gR2-preinstall.param /usr/bin/oracle-rdbms-server-11gR2-preinstall-verify
```

Which three statements are true about oracle-rdbms-server-11gR2-preinstall-1.0-6.e16.x86_64 rpm?

- A. It is a new name for oracle-validated package from Oracle Linux 5 that sets parameters to the same values.



- B. It creates the oracle user if not already created, which owns the Grid Infrastructure software should that get installed.
- C. It creates the grid user if not already created which owns the grid infrastructure software should that get installed.
- D. It modifies kernel parameters in /etc/sysctl.conf.
- E. It runs at the first boot after installing the packages to set a parameter indicating that it has run once.
- F. It modifies parameters in the /etc/sysconfig/network-scripts directly.
- G. It creates the osoper group, if not already created.

Correct Answer: CEF

QUESTION 4

You want to convert an rpm packages file into a standard format as part of a shell script and then manipulate the contents.

Which archive format is used by rpm?

- A. cpio
- B. tar
- C. bzip2
- D. gzip
- E. zip

Correct Answer: A

QUESTION 5

An Oracle Linux system has not been updated for a while and the currently running kernel is three releases behind the most recent kernel release.

Each released kernel fixed several problems, totaling 11 bug fixes.

You are about to update this kernel using this command:

```
[root@o16 ~]# uptrack-upgrade -all -y
```

How does Ksplice Uptrack apply these updates? (Choose the best answer.)

- A. It downloads three updates, clones the running kernel in memory, applies the updates in one single atomic update,



and uses Kexec to activate the updated kernel

B. It downloads 11 updates and applies them one by one to the running kernel

C. It downloads 11 updates and applies them in a single transaction to the running kernel

D. It downloads three updates and applies them in a single transaction to the running kernel

Correct Answer: B

[1Z0-100 PDF Dumps](#)

[1Z0-100 Practice Test](#)

[1Z0-100 Braindumps](#)