1Z0-1033-22^{Q&As}

Oracle CPQ 2022 Implementation Professional

Pass Oracle 1Z0-1033-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1z0-1033-22.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Using standard functionality, how do you prevent a user from manually adding or removing rows in an array set?

A. by using CSS to hide icons

B. by hiding the control attribute

C. by hiding the control attribute and marking it as a forced set

D. by selecting the "Disable user override" property on the configurable array set editor page

Correct Answer: B

QUESTION 2

Given the following code:

```
strArr1 = string [] {"1", "2", "3"};
strArr2 = _____;
return strArr2;
```

Which one of the following statements, when placed in the blank space, will give strArr2 a value of "123?"

A. join (strArr1,"")

B. join (strArr1, " ")

C. combine (" ", strArr1)

D. combine (strArr1, "")

Correct Answer: B

QUESTION 3

A multi-select attribute with five options is displayed as check boxes. Depending on the conditions, the Configurator should show a user three of these five options. How do you accomplish this?

A. by writing a Constraint rule

B. by writing a Hiding rule

C. by writing a Recommendation rule

D. by writing a Pricing rule

Correct Answer: B

QUESTION 4

Which two scenarios can be automated with File Transfer Protocol (FTP)? (Choose two.)

A. An administrator needs to bulk update attachments on a multiple Commerce Transactions.

B. Every month, an administrator needs to apply changes requested by the marketing department on descriptions for parts in CPQ Cloud.

C. An administrator needs to update Configuration Attribute Value Pricing on a Model and deploy the changes.

D. Every night, an administrator queries the inventory database and updates a CPQ Cloud data table with the new inventory levels.

Correct Answer: BD

QUESTION 5

Given the following code:

```
myArray = float [] {154.68, 174.29, 957.03, 947.56, 759.37};

result — _____ (myArray, 174.29);

return result;
```

Which function, when filled in the blank, will return a value of 1?

A. findinarray

B. arrayfind

C. findarray

D. findinsidearray

Correct Answer: C