



1Z0-1041-20^{Q&As}

Oracle Cloud Platform Enterprise Analytics 2020 Specialist

Pass Oracle 1Z0-1041-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-1041-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which is the maximum row count for unformatted files?

- A. 500k
- B. 1.2 million
- C. 2.2 million
- D. 800k
- E. 3.2 million

Correct Answer: C

QUESTION 2

Oracle Analytics Cloud offers several visualization options for presenting query results. How do you explicitly invoke "best visualization" in Oracle Analytics Cloud?

- A. Select the desired data elements from the Data Elements pane and drag them onto the Best Visualization zone in the Explore pane.
- B. Drag an entire Data Set from the Data Elements pane onto the Data Visualization canvas and let the tool determine the best visualization.
- C. Select the "Best Visualization" option from the project's Canvas Settings drop-down menu.
- D. Select the desired data elements from the Data Elements pane, right-click and select "Create Best Visualization" from the drop-down menu.

Correct Answer: B

Reference <https://docs.oracle.com/en/cloud/paas/analytics-cloud/acubi/visualizing-data-and-building-reports-oracle-analytics-cloud.pdf> (39)

QUESTION 3

Which statement is false with respect to Dashboard Prompts?

- A. Prompt values can be limited based on requirements.
- B. Repository variables and session variables can be used in prompt default values.
- C. Prompts can be developed using multiple columns from different subject areas.
- D. Images can be used in the prompts.

Correct Answer: A



QUESTION 4

What is not a pre-requisite for deploying the Oracle Business Intelligence Cloud Service Remote Data Connector?

- A. Configure the load balancer or HTTP server for Secured Socket Layer communication.
- B. Download the Oracle Business Intelligence Cloud Service Remote Data Connector WAR file from the Oracle Technology Network website.
- C. Download and Install Weblogic Server and Node Manager from the Oracle Technology Network website or, alternatively, download and install Apache Tomcat.
- D. Obtain the OAuth 2.0 token from the IETF OAuth Working Group website and save it to the Oracle Analytics Cloud bi_home directory.

Correct Answer: D

Reference <https://www.oracle.com/technetwork/middleware/bicloud/downloads/oac-rdc-e67875-064921158.pdf>

QUESTION 5

Your customer has an Essbase cube with current year PandL data.

Once a month, the cube needs to be updated with the last closed month data.

How can the monthly data be loaded incrementally using Cube Designer?

- A. Use the Update Cube option from the Build Option menu in Cube Designer.
- B. Use the Transform Data option in Cube Designer.
- C. Cube Designer cannot be used to load data in the cube.
- D. Cube Designer cannot be used to load data incrementally in the cube.
- E. Use the Load Data option in Cube Designer.

Correct Answer: A

Reference <https://docs.oracle.com/en/cloud/paas/analytics-cloud/essug/using-oracle-analytics-cloudessbase.pdf> (123)

[1Z0-1041-20 Practice Test](#)

[1Z0-1041-20 Study Guide](#)

[1Z0-1041-20 Exam Questions](#)