



1Z0-1041-20^{Q&As}

Oracle Cloud Platform Enterprise Analytics 2020 Specialist

Pass Oracle 1Z0-1041-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-1041-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

How should you use a machine learning model within a canvas of an Oracle Analytics Cloud project?

- A. Create a custom calculation.
- B. Create a scenario using the required model.
- C. Use the machine learning model visualization.
- D. Create a data sequence.

Correct Answer: B

QUESTION 2

A customer built an Essbase cube (Block Storage) with six dimensions. At a later stage, a few cube settings were updated and new members were added manually. Based on new requirements from users, the customer wants to add a new dimension to the existing cube. The administrator will be using the Cube Designer extension in SmartView to make the updates. How can the customer update the cube incrementally while retaining any previous changes that were applied manually?

- A. Previous changes applied manually in cloud service cannot be retained while using Cube Designer.
- B. A new dimension cannot be added to an existing cube using Cube Designer.
- C. In Cube Designer:

1.

Export the cube to the application workbook.

2.

Select "From Sheet" to populate the wizard with contents of the application workbook.

3.

Add a new dimension.

4.

Select "To Sheet" to propagate the changes to the application workbook.

5.

Add members in the dimension worksheet.

6.

Finally, select Update Cube from the build options.

- D. In Cube Designer:



1. Export the cube to the application workbook.

E. Select "From Sheet" to populate the wizard with contents of the application workbook.

3.

Add a new dimension.

4.

Select "To Sheet" to propagate the changes to the application workbook.

5 Add embers in the dimension worksheet.

Finally, select the Load Data option.

Correct Answer: C

QUESTION 3

You've created a visualization of revenue data over time. The revenue data over time exhibits some curvature in the line visualization.

What trending algorithm should you use to refine the trendline?

A. Set the confidence interval to 95%.

B. Use the linear option.

C. Use the polynomial option.

D. Use the exponential option.

Correct Answer: B

QUESTION 4

When you create a service, a diagnostics ZIP file is uploaded to your cloud storage location. Where can you find this file if your issue requires further diagnosis?

A. Go to your cloud storage and locate the service_provisioning_failure logs folder.

B. Go to your cloud storage and locate the service_failure logs folder.

C. Go to your cloud storage and locate the service_provisionfng logs folder.

D. Go to your cloud storage and locate the provisioning_failure logs folder.

Correct Answer: C

<https://docs.oracle.com/en/cloud/paas/analytics-cloud/acsam/troubleshooting.html#GUID-943811F1-82534B55-B91B-3D5720A6B60B>



QUESTION 5

You want to create a filter that restricts access to the Fact table so that Revenue Is only visible to users assigned to a particular role. In which tab should you set this up?

- A. Permissions
- B. Row Level Data
- C. Table filter
- D. Data Filters

Correct Answer: D

You can define data filters for fact tables, dimension tables, and columns that provide row-level security for data model objects. For example, you can create a filter that restricts access to the Products table so that only certain brands are visible to users assigned to a particular role. <https://docs.oracle.com/en/cloud/paas/bi-cloud/bilpd/securing-access-data.html>

[Latest 1Z0-1041-20 Dumps](#)

[1Z0-1041-20 PDF Dumps](#)

[1Z0-1041-20 Practice Test](#)