



# 1Z0-1043-20<sup>Q&As</sup>

Oracle Cloud Platform Application Development 2020 Specialist

## Pass Oracle 1Z0-1043-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-1043-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which statement is true about designing custom APIs in Oracle Mobile Hub?

- A. Designing custom APIs entails defining the Node.js implementation in pseudocode.
- B. You may build the REST endpoints of a custom API through a RAML file or via the Endpoints tab on the Custom API page, but you should not mix these approaches.
- C. Custom endpoints built in RAML cannot be edited outside of the Oracle Mobile Hub environment
- D. Custom APIs can be shared across mobile backends through the API catalog.

Correct Answer: B

---

**QUESTION 2**

When you provision a WebLogic Server for OCI instance from Marketplace with two managed servers into private subnet and enable load balancer, what is the deployment topology that is set up and configured for you?

- A. 2 compute instances, 1 admin server, 2 managed servers, 1 LBaaS, 1 Bastion compute
- B. 2 compute instances, 1 admin server, 2 managed servers, 1 WLS cluster, 1 LBaaS
- C. 3 compute instances, 1 admin server, 2 managed servers, 1 WLS cluster, 2 LBaaS, 1 Bastion compute
- D. 3 compute instances, 1 admin server, 2 managed servers, 1 WLS cluster, 1 LBaaS, 1 Bastion compute

Correct Answer: C

---

**QUESTION 3**

You run the fn version command. While the client version is displayed correctly, you notice that the server version is T. Which two probabilities might have resulted in this output?

- A. Fn start command has not been issued yet.
- B. Function context is not set.
- C. A more recent version of the Fn Project CLI is available.
- D. Fn CLI cannot reach the Fn server.

Correct Answer: AC

---

**QUESTION 4**

When you create a cluster, you need to download a Kubernetes configuration (kubeconfig) file for the cluster. Which three steps should be completed before downloading the kubeconfig file?



- A. Generate an API signing key pair.
- B. Verify whether you can access the cluster using Kubernetes Dashboard.
- C. Install and configure the Oracle Cloud Infrastructure CLI.
- D. Creating Kubernetes secret.
- E. Added the public key value of the API signing key pair to the User Settings for your username.

Correct Answer: ACE

<https://www.oracle.com/webfolder/technetwork/tutorials/obe/oci/oke-full/index.html>

---

### QUESTION 5

Which three are included in the Oracle Application Development Cloud Platform services category?

- A. Oracle WebLogic Server for OCI
- B. Oracle Mobile Hub
- C. Oracle Data Integrator Cloud
- D. Visual Builder Studio
- E. Oracle Integration Cloud
- F. SOA Cloud Service

Correct Answer: ACD

[1Z0-1043-20 Practice Test](#)

[1Z0-1043-20 Exam  
Questions](#)

[1Z0-1043-20 Braindumps](#)