



1Z0-1043-20^{Q&As}

Oracle Cloud Platform Application Development 2020 Specialist

Pass Oracle 1Z0-1043-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-1043-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

When you create a cluster, you need to download a Kubernetes configuration (kubeconfig) file for the cluster. Which three steps should be completed before downloading the kubeconfig file?

- A. Generate an API signing key pair.
- B. Verify whether you can access the cluster using Kubernetes Dashboard.
- C. Install and configure the Oracle Cloud Infrastructure CLI.
- D. Creating Kubernetes secret.
- E. Added the public key value of the API signing key pair to the User Settings for your username.

Correct Answer: ACE

<https://www.oracle.com/webfolder/technetwork/tutorials/obe/oci/oke-full/index.html>

QUESTION 2

You have all the credentials to create a cluster. You create a cluster with Quick Create. Which three are created by default in a multi-AD region?

- A. VCN network
- B. Kubernetes load-balanced subnets
- C. Three worker nodes
- D. Deployed Applications
- E. Node pool with subnet

Correct Answer: ACD

QUESTION 3

Which statement is true about how SOAP and REST connector APIs establish connections that need to be secured via the HTTPS protocol?

- A. This is configured through custom code when making a call to the connector API.
- B. This is configured by selecting the Use HTTPS check box in the connector definition after the connector API has been created.
- C. This is configured through the NetworkEnforceTransportsecurity environment policy.
- D. This is configured by applying a relevant security policy when the connector is created or later.
- E. This is not configured because the use of HTTPS is mandatory.



Correct Answer: B

QUESTION 4

When you create a domain with Oracle WLS for OCI, you provide the vault endpoint URL and the key that you used to encrypt the passwords for the domain. If provisioning is not successful and you find an error "unable to get decrypt credential" in your Terraform job logs in Resource Manager, which is not the probable cause?

- A. Policies required for vault use are not set up correctly.
- B. Vault endpoint is not correct.
- C. WebLogic Server administration password is inconsistent with WebLogic password policy.
- D. Key or Secret OCID is not correct.

Correct Answer: D

QUESTION 5

You are accessing the service catalog to create service connections. You notice that there are no services listed in the catalog. Which two points do you need to verify to mitigate this issue?

- A. Verify from the Visual Builder Studio home page that the service catalog connection is live.
- B. Verify with your Oracle Representative that access to the service catalog is a part of your enterprise's Visual Builder Studio contract.
- C. Determine if the backend service has been properly defined.
- D. Check that you have the proper credentials allowing access to the service catalog.
- E. Check that the network connection between the Visual Builder Studio and the service catalog is functional.

Correct Answer: CD

<https://docs.oracle.com/en/cloud/paas/integration-cloud/visual-developer/create-serviceconnection.html#GUID-B95FF6FE-856B-4D0C-AB27-745736283B01>

[1Z0-1043-20 PDF Dumps](#)

[1Z0-1043-20 VCE Dumps](#)

[1Z0-1043-20 Study Guide](#)