



1Z0-105^{Q&As}

Oracle Linux 6 Advanced System Administration

Pass Oracle 1Z0-105 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-105.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

After creating empty mount point /xfs1, you execute the command:

```
# mkfs -t xfs -L /xfs1 -l logdev=/dev/sdd1 /dev/sdh1
```

Which two statements are true about the effects of executing the mkfs command?

- A. It fails if there is an existing XFS file system on /dev/sdh1.
- B. It fails if there is an existing XFS log on /dev/sdd1.
- C. It fails if there is an existing XFS file system on /dev/sdd1.
- D. It fails because there is no size specified for the XFS log.
- E. The xfs1 file system is mounted automatically during system startup.
- F. It creates and mounts the /xfs1 file system.

Correct Answer: DF

QUESTION 2

You need to disable access to all LUNs shared through one specific target, target ID 3.

Which command would you use to achieve this?

- A. tgtadm --update --mode target --tid 3 --name=online --value=0
- B. tgtadm --mode target --op update --tid=3 online =0
- C. tgt-admin --offline tid=3
- D. service tgtd stop_target 3

Correct Answer: C

QUESTION 3

Examine the udev device naming rule:

```
KERNEL=="hdb", NAME="disk1"
```

Which statement is true?

- A. A disk device with a default kernel device name of /dev/hdb is accessible using the kernel device names /dev/disk1



and /dev/hdb.

B. A disk device with a default kernel device name of /dev/hdb has an additional device special file name of /dev/disk1.

C. A disk device with a default kernel device name of /dev/hdb is replaced with /dev/disk1. /dev/hdb does not exist.

D. A disk device with the NAME attribute (from sysfs) matching with disk1 is accessible using the kernel device name /dev/hdb.

Correct Answer: A

QUESTION 4

Which command would you use to start a container in the background so that it does not use the current terminal as its console?

A. lxc-start-daemon -n

B. lxc-start -n --daemon

C. lxc-start -n --detach

D. lxc-start -n and

Correct Answer: D

Reference: <https://webcache.googleusercontent.com/search?q=cache:E9i3rUE3cLwJ:https://wiki.debian.org/LXC+andcd=1andhl=enandct=clnkandgl=pkandclient=opera>

QUESTION 5

Which three features are included in the btrfs file system? (Choose three.)

A. general-purpose volume manager

B. online defragmentation

C. block devices mirroring

D. cluster file system

E. online resizing

F. transparent compression

Correct Answer: BEF

Reference: https://docs.oracle.com/cd/E37670_01/E37355/html/ol_about_btrfs.html#

[Latest 1Z0-105 Dumps](#)

[1Z0-105 VCE Dumps](#)

[1Z0-105 Practice Test](#)