



1Z0-1067-21^{Q&As}

Oracle Cloud Infrastructure 2021 Cloud Operations Associate

Pass Oracle 1Z0-1067-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-1067-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which option contains the essential components of the Oracle Cloud Infrastructure Notifications service? (Choose the best answer.)

- A. An ALARM with a name unique across the tenancy, a SUBSCRIPTION, and a METRIC with the measurement of interest.
- B. A TOPIC with a name unique across the tenancy, a SUBSCRIPTION, and a MESSAGE where content is published.
- C. A TOPIC with a name unique across the compartment, a SUBSCRIPTION, and a MESSAGE where content is published.
- D. An ALARM with a name unique across the compartment, a SUBSCRIPTION, and a METRIC with the measurement of interest.

Correct Answer: D

QUESTION 2

You are working with Terraform on your laptop and have been tasked with spinning up multiple compute instances in Oracle Cloud Infrastructure (OCI) for a project. In addition, you are also required to collect IP

addresses of provisioned instances and write them to a file and save it in your laptop. Which specific Terraform functionality can help accomplish this task? (Choose the best answer.)

- A. Terraform modules
- B. Terraform remote state
- C. Terraform local-exec
- D. Terraform remote-exec

Correct Answer: A

QUESTION 3

An insurance company has contracted you to help automate their application business continuity plan. They have the application running in eu-frankfurt-1 as the primary site and uk-london-1 as a disaster recovery site. Normally they have a DNS A record associated with the IP address of the primary endpoint in eu-frankfurt-1. In the event of a disaster, they use OCI DNS Zone Management to update the A record and replace it with the IP address of the endpoint in uk-londond-1.

How can you automate the failover process? (Choose the best answer.)

- A. Create a Health Check that evaluates both regional endpoints. Create a Traffic Management Steering policy with



Failover type and associate it with the Health Check.

B. Create a Traffic Management Steering policy with Load Balancer type and add both eu-frankfurt-1 and uk-london-1 endpoints. Attach the Traffic Management Steering policy to the A record.

C. Provision a Load Balancer in Frankfurt and associate it with the A record in DNS. Create a backend set with backend servers from both eu-frankfurt-1 and uk-london-1 regions.

D. Create a Traffic Management Steering policy and attach it to a backend servers from both eu-frankfurt1 and uk-london-1 regions.

Correct Answer: B

QUESTION 4

Your company recently adopted a hybrid cloud architecture which requires them to migrate some of their on-premises web applications to Oracle Cloud Infrastructure (OCI). You created a Terraform template which automatically provisions OCI resources such as compute instances, load balancer, and a database instance. After running the stack using the terraform apply command, it successfully launched the compute instances and the load balancer, but it failed to create a new database instance with the following error:

Service error: NotAuthorizedOrNotFound. shape VM.Standard2.4 not found. http status code: 404

You discovered that the resource quotas assigned to your compartment prevent you from using VM.Standard2.4 instance shapes available in your tenancy. You edit the Terraform script and replace the shape with VM.Standard2.2

Which option would you recommend to re-run the terraform command to have required OCI resources provisioned with the least effort? (Choose the best answer.)

A. terraform plan --target=oci_database_db_system.db_system

B. terraform apply --auto-approve

C. terraform refresh --target=oci_database_db_system.db_system

D. terraform apply --target=oci_database_db_system.db_system

Correct Answer: D

QUESTION 5

You created an Oracle Linux compute instance through the Oracle Cloud Infrastructure (OCI) management console then immediately realize you forgot to add an SSH key file. You notice that OCI compute service provides instance console connections that supports adding SSH keys for a running instance. Hence, you created the console connection for your Linux server and activated it using the connection string provided. However, now you get prompted for a username and password to login.

What option should you recommend to add the SSH key to your running instance, while minimizing the administrative overhead? (Choose the best answer.)



- A. You need to configure the boot loader to use ttyS0 as a console terminal on the VM.
- B. You need to terminate the running instance and recreate it by providing the SSH key file.
- C. You need to reboot the instance from the console, boot into the bash shell in maintenance mode, and add SSH keys for the opc user.
- D. You need to modify the serial console connection string to include the identity file flag, `-i` to specify the SSH key to use.

Correct Answer: D

Reference: <https://docs.oracle.com/en-us/iaas/Content/Compute/References/serialconsole.htm>

[Latest 1Z0-1067-21 Dumps](#)

[1Z0-1067-21 VCE Dumps](#)

[1Z0-1067-21 Study Guide](#)