1Z0-1068-20^Q&As

Oracle CX Commerce 2020 Implementation Essentials

Pass Oracle 1Z0-1068-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1z0-1068-20.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Which two are required to communicate with an Order Management System (OMS) Integration Service when integrating with an OMS from Commerce Cloud? (Choose two.)

A. Shopper Profile Update event webhook

B. Order Submit event webhook

C. Admin Orders REST API

D. Custom order management widget

Correct Answer: AC

QUESTION 2

Consider the following code snippet from the config.json file for a custom payment gateway extension\\'s properties:

```
"properties": [
  {
    "id": "paymentMethodTypes",
    "type": "multiSelectOptionType",
    "name": "paymentMethodTypes",
    "required": false,
    "helpTextResourceId": "paymentMethodsHelpText",
    "labelResourceId": "paymentMethodsLabel",
    "defaultValue": "generic",
    "displayAsCheckboxes": true,
    "options": [
      {
        "id": "generic",
        "value": "generic",
        "labelResourceId": "genericLabel"
      },
    ]
  }
]
```

Which two statements describe the paymentMethodsTypes property configuration? (Choose two.)

A. The generic option will appear as a checkbox in the Administration UI

B. The default value is set to generic, which means that option will be selected in the Administration UI

C. Other paymentMethodTypes options defined in the gateway.json file will appear in the Administration UI, even though not explicitly defined in config.json

D. The property is public by default and can be used in a custom widget

Correct Answer: CD

QUESTION 3

A company has one site with English as the default language and German as an additional language. The German subsidiary needs to translate the site\\'s name and description into German using the updateSite endpoint.

Which header and JSON combination must they pass to this endpoint to accomplish this task?

```
A.  Header: {"X-CCSite" : "de"}
    Code:
    {
      "properties":{
         "name":"Cloud Lake Deutschland",
         "description":"Die deutsche version von Cloud Lake"
      }
    }

B.  Header: {"X-CCAsset-Language" : "german"}
    Code:
    {
      "eigenschaften":{
         "name":"Cloud Lake Deutschland",
         "beschreibung":"Die deutsche version von Cloud Lake"
      }
    }

C.  Header: {"X-CCSite" : "german"}
    Code:
    {
      "eigenschaften":{
         "name":"Cloud Lake Deutschland",
         "beschreibung":"Die deutsche version von Cloud Lake"
      }
    }

D.  Header: {"X-CCAsset-Language" : "de"}
    Code:
    {
      "properties":{
         "name":"Cloud Lake Deutschland",
         "description":"Die deutsche version von Cloud Lake"
      }
    }
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

QUESTION 4

A company has two sites. Site A is the default site and has English as the default language and German as an additional language. Site B has German as the default language. The company needs to provide metadata in both languages.

After creating the products in English, which action can the company take to have metadata in both German and English?

A. On the Metadata tab, add the German translations in addition to the English metadata

B. On the Metadata tab, overwrite the English metadata with the German translations

C. Create a duplicate set of the products and collections in German

D. Switch to Site B to add the German translations for product and collection names and descriptions

E. Select German as the content language and enter the German translations for product and collection names and descriptions

Correct Answer: A

Reference: https://docs.oracle.com/cd/E93106_01/Cloud.18A/UsingCC/html/
s0707addmetadatatoproductsandcollecti01.html

QUESTION 5

Given the example custom widget template code:

```
<!-- ko with: product -->
  <!-- ko if: $data.hasOwnProperty("videoURL") && videoURL -->
     <h4 data-bind="widgetLocaleText: {value:'videoHeading',
attr:'innerText', params:
{productTitle: displayName()}}"></h4>
  <!-- /ko -->
<!-- /ko -->
```

Where will the value of displayName be read from?

A. The widget $data variable

B. Product view model

C. The widget locale resources

D. Widget observable attributes

Correct Answer: B

Reference: https://docs.oracle.com/en/cloud/saas/adaptive-intelligent-apps-for-customer-experience/aigia/ configure-web-widgets.html#getDataRestApi_Other

1Z0-1068-20 PDF Dumps   1Z0-1068-20 VCE Dumps   1Z0-1068-20 Study Guide

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: